

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒DEEPEN ☐PLUG BACK ☐

b. TYPE OF WELL

OIL
WELL ☐GAS
WELL ☒

OTHER

SINGLE
ZONE ☐MULTIPLE
ZONE ☐

2. NAME OF OPERATOR

N. P. ENERGY CORPORATION

3. ADDRESS OF OPERATOR

SUITE 320, 57 WEST SOUTH TEMPLE, S.L.C., UTAH 84101

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*

At surface

NE. NE. Sec. 15, T 20S, R 21E., S.L.M.

At proposed prod. zone 846' from E-line and 424' from N-line

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

Approximately 15 miles NW of Cisco, Utah

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drlg. unit line, if any)

424'

16. NO. OF ACRES IN LEASE

2400 Ac.

17. NO. OF ACRES ASSIGNED
TO THIS WELL

40 Acres

18. DISTANCE FROM PROPOSED LOCATION*
TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

1500'

19. PROPOSED DEPTH

3250'

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

5385' Grd; 5395' K.B.

22. APPROX. DATE WORK WILL START*

April 30, 1980

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/2"	8 5/8"	24.00#	200'	100 sks
7 7/8"	4 1/2"	10.50#	Thru pay zone	e-cemented to 200' above K.B.

It is planned to drill a well at the above location to test the gas and/or oil production possibilities of the sands in the Dakota, Cedar Mt., Morrison, and Entrada formations. The well will be drilled to approximately 50 to 100 ft. below the top of the Entrada formation, if conditions permit. The well will be drilled with rotary tools, using air for circulation. The surface casing (8 5/8") will be set at about 200' K.B. and cemented with returns to the surface. A blowout preventer and rotating head will be installed on top of the surface casing. Fill and kill lines will be connected to the well head below the blind rams on the blowout preventer. Any gas encountered will be flared at the end of the blowout line, and roughly checked for volume thru a 2" line after the pipe rams have been closed. A float valve will be used in the bottom drill collar at all times. A proposal of the well is attached.

State of Utah, Department of Natural Resources
Division of Oil, Gas, and Mining
1588 West South Temple
Salt Lake City, Utah 84116

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED

W. Don Quigley

TITLE

Vice-President

DATE

April 1, 1980

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE

APPROVED BY (Orig. Sgd.) R. A. Henricks

TITLE

FOR E. W. GUYNN
DISTRICT ENGINEER

DATE

JUN 19 1980

CONDITIONS OF APPROVAL, IF ANY:

CONDITIONS OF APPROVAL ATTACHED
TO OPERATOR'S COPY

*See Instructions On Reverse Side

FLARING OR VENTING OF
GAS IS SUBJECT TO NTL 4-A
DATED 1/1/80

NOTICE OF APPROVAL

Production Facilities and Flowline NOT Approved

Utah O. & G.

Oil and Gas Drilling

EA #352-80

United States Department of the Interior
Geological Survey
2000 Administration Bldg.
1745 West 1700 South
Salt Lake City, Utah 84104

Usual Environmental Analysis

Date: June 6, 1980

Operator: N. P. Energy Project or Well Name and No. 15-3
Location: 846' FEL & 424' FNL Sec.: 15 T.: 20S R.: 21E
County. Grand State: Utah Field/Unit: Cisco Dome
Lease No.: U-02140 Permit No.. N/A

Joint Field Inspection Date: May 14, 1980

Prepared By: George Diwachak

Field Inspection Participants, Titles and Organizations:

George Diwachak	Environmental Scientist	U.S.G.S.
Elmer Duncan	Surface Protection Specialist	BLM
Hart Gleason	Consultant	N. P. Energy
Dallas Galley	President	Galley Construction

Related Environmental Analyses and References:

(1) Unit Resource Analysis, Book Mountain Planning Unit, BLM, Moab, Utah.

lj 6/17/80

*Admin Comp'd
P&T 180 x 250
P&T - Incl w/1000
300' x 20' new occu
1/2 mi x 20' improve
12/10 02
Noted - G. Diwachak*

DISCRIPTION OF PROPOSED ACTION

Proposed Action

1. Location State: Utah

County: Grand

846' FEL, 424' FNL, NE 1/4 NE 1/4

Section 15, T 20S, R 21E, S L M

2. Surface Ownership Location: Public

Access Road: Public

Status of
Reclamation Agreements: Not applicable.

3. Dates APD Filed: April 4, 1980 .

APD Technically Complete. April 16, 1980 .

APD Administratively Complete: April 4, 1980 .

4. Project Time Frame

Starting Date. Upon Approval .

Duration of Drilling activities: 7 days.

A period of 30 to 60 days is normally necessary to complete a well for production if hydrocarbons are discovered. If a dry hole is drilled, recontouring and reseeding would normally occur within one year, revegetation or restoration may take several years. If the well is a producer, an indefinite period of time would occur between completion and rehabilitation.

5. Related actions of other federal or state agencies and Indian tribes:

None known.

6. Nearby pending actions which may affect or be affected by the proposed action:

None known.

7. Status of variance requests:

None known.

The following elements of the proposed action would/could result in environmental impacts:

1. A drill pad 180' wide x 250' long including a reserve pit would be constructed. Approximately 300 feet of new access road, averaging 16' driving surface, would be constructed and approximately 0.5 mile of existing trail would be improved to 16' of driving surface from a maintained road. 1.5 acres of disturbed surface would be associated with the project. Maximum disturbed width of access road would be limited to 20'.

Final equipment and pit alignment will be determined when a drilling rig is secured. Adjustments to the alignment reported in the APD may be necessary, however the operator was instructed to utilize safe drilling techniques, a minimum 125 feet blowie line and to confine all equipment and pits to the approved pad disturbance.

2. Drilling.
3. Waste disposal. A chemical toilet will be used for human waste - Garbage and trash would be confined to a fenced trash pit and burned and buried upon cleanup of wellsite.
4. Traffic.
5. Water requirements would involve travel over unimproved roads from Cisco Springs. Since airdrilling techniques would be used water requirements are minimal.
6. Completion.
7. Production equipment would be confined to the disturbed area of the drill pad as outlined in the APD.
8. Transportation of hydrocarbons were not requested with the APD. The operator reports that flowline facilities would be applied for if commercial quantities of hydrocarbons are expected.

Details of the proposed action are described in the Application for Permit to Drill.

Environmental Considerations of the Proposed Action:

Regional Setting/Topography: The location is situated within a canyon at the base of the Book Cliff Mountains. High cliffs and hills flank the west side of the location with a deep non-perennial wash to the east. Slopes average approximately 5% to the northeast.

PARAMETERA. Geology

1. Other Local Mineral Resources to be Protected: None.

Information Source Mineral Evaluation Report, Mining Report.

2. Hazards:

- a. Land Stability: Location and access road to be built on Mancos shale which is stable provided slopes are moderate and moisture content is low.

Information Source: Field Observation.

- b. Subsidence. None expected.

Information Source: Field Observation.

- c. Seismicity. Seismic risk for the area is low. No impacts expected.

Information Source: Rocky Mountain Association of Geologists.

- d. High Pressure Zones/Blowout Prevention: No high pressure zones expected. BOP system is detailed in APD.

Information Source: APD, Mineral Evaluation Report.

B. Soils:

1. Soil Character: Topsoil would be stripped and stockpiled requiring revegetation upon abandonment.

Information Source: BLM, Field Observation.

2. Erosion/Sedimentation: Erosion would increase especially during periods of precipitation, however considering the lack of summer precipitation in the area, impacts would be minimal.

Information Source: Field Observation, APD.

- C. Air Quality: Wellsite is in a Class II Attainment Area. Drilling activities and vehicle operations would decrease air quality temporarily from exhaust emissions and fugitive dust. Considering short drilling, impacts would be minimal.

Information Source: Field Observation.

- D. Noise Levels: Ambient noise levels would increase temporarily from machinery and equipment operations, affecting wildlife and livestock in a distributional sense.

Information Source: Field Observation.

E. Water Resources

1. Hydrologic Character

a. Surface Waters: No perennial drainages exist in area. Siltation to the Colorado River could occur. Water for drilling would be obtained from Nash Wash. A State of Utah permit is necessary. A non-perennial wash dissects the west half of the pad.

Information Source: Field Observation.

b. Ground Waters: Commingling of aquifers is possible but could be reduced by adequate casing program. No fresh water is expected.

Information Source: Field Observation, Mineral Evaluation Report.

2. Water Quality

a. Surface Waters: No perennial waterways nearby. Spill potential to live surface waters is minimal. To reduce erosion and divert drainage around the pad, a ditch should be constructed around the west edge of the pad.

Information Source: Field Observation.

b. Ground Waters: Insignificant impacts are expected since air drilling techniques would be employed.

Information Source: Field Observation, APD.

F. Flora and Fauna

1. Endangered and Threatened Species Determination

Based on the formal comments received from the BLM, we determine that there would be no effect on endangered and threatened species and their critical habitat.

2. Flora: Plants in area are of the salt desert shrub varieties with mixed grasses and Russian thistle predominating at the wellsite. Vegetation would be removed by pad construction increasing non-point erosion and decreasing fertility. Complete revegetation would be necessary upon abandonment.

Information Source: Field Observation, BLM.

3. Fauna: Wildlife would be disturbed temporarily in a distributional sense. Habitat destruction would be minimal.

Information Source: Field Observation.

G. Land Uses:

1. General: Grazing and hydrocarbon exploration are major activities in area. Recreation is minimal. Well operations would slightly reduce grazing potential of area.

Information Source: Field Observation.

2. Affected Floodplains and/or Wetlands: N/A.

Information Source: Field Observation.

3. Roadless/Wilderness Area: N/A.

Information Source: BLM.

H. Aesthetics: The operation does not blend in with natural surroundings, however considering the short duration of drilling and magnitude of drilling operations in the area, this action would pose minimal impacts to area aesthetics. Painting any permanent equipment a color to blend with the surrounding environment would reduce visual impacts.

Information Source: Field Observation.

I. Socioeconomics: The remoteness of the area limits any socioeconomic impacts in Grand County, Utah. Most services and personnel would commute from Grand Junction, Colorado (50 miles east) which is presently experiencing substantial growth due to increased regional hydrocarbon exploration activities.

Information Source: Field Observation.

J. Cultural Resources Determination: Based on the formal comments received from the BLM, we determine that there would be no effect on cultural resources.

Information Source: BLM.

K. Other: None.

L. Adequacy of Restoration Plans: The restoration plans meet the minimum requirements of NTL-6. Additional restoration recommendations have been supplied by the BLM.

Information Source: APD, BLM, Field Observation.

Alternatives to the Proposed Action:

1. Disapproving the proposed action or no action - If the proposed action is denied, no action would occur, the existing environment would remain in its present state, the lessee/operator would not realize any return on investments and the public would be denied a potential energy source.

2. Approving the project with the recommended stipulations - Under federal oil and gas leasing provisions, the Geological Survey has a responsibility to approve mineral development if the environmental consequences are not too severe or irreversible. Permanent damage to the surface and subsurface would be prevented as much as possible under USGS and Surface Management Agency supervision. Environmental impacts would be significantly mitigated.

Adverse Environmental Effects:

1. If approved as proposed:

- a. About 1.5 acres of vegetation would be removed, increasing and accelerating erosion potential.
- b. Pollution of groundwater systems could occur with the introduction of drilling fluids into the aquifer(s). The potential for interaquifer leakage and lost circulation is ever-present, depending on the casing program.
- c. Minor air pollution would be induced on a temporary basis due to exhaust emissions from rig engines and support traffic.
- d. The potential for fires, leaks, spills of gas and oil or water exists.
- e. During construction and drilling phases of the operation, noise and dust levels would increase.
- f. Distractions from aesthetics during the lifetime of the project would exist.
- g. Erosion from the site would eventually be carried as sediment in the Colorado River. The potential for pollution to Nash Wash would exist through leaks and spills.
- h. If hydrocarbons would be discovered and produced, further development of the area could be expected to occur, which would result in the extraction of irreplaceable resource, and further negative environmental impacts. These impacts include the cumulative loss of wildlife habitat due to the areas necessary for roads, pipelines, drillsites, and transmission lines. These actions may disrupt wildlife social behavior and force habitat relocation over an extended period of time. In addition, the cumulative effects of non-point erosion become substantial in a developing field, primarily those located near perennial streams where siltation and sedimentation are critical to aquatic life cycles.

2. Conditional Approval:

All adverse impacts described in section one above could occur, except.

- a.) Painting any permanent production facilities a color to blend with surroundings would reduce visual impacts.
- b.) Rerouting drainage around the pad would reduce vegetation.

c.) Providing a buffer strip of undisturbed surface between the pad and wash to the east would reduce impacts to area waterways.

Recommended Approval Conditions:

Drilling should be allowed, provided the following mitigative measures are incorporated into the proposed APD and adhered to by the operator:

1. See attached BLM Stipulations. *None*
2. A State of Utah Water Use Permit or an agreement with private sources is necessary prior to APD approval. *Per tel. con - water purchased from Delgarno Trucking 6/18/80*
3. All permanent production facilities would be painted a color to blend with the natural surroundings.
4. The owners of the pipeline paralleling the existing canyon road must be contacted prior to constructing the access road over the line.
5. The uphill or west side of the location will be ditched to divert drainage.
6. A buffer strip of undisturbed vegetation at least 50 feet wide must remain between the east edge of the location and wash to the east.

Controversial Issues and Conservation Division Response:

None.

We have considered the proposed action in the preceding pages of this EA and find, based on the analysis of environmental considerations provided therein, no evidence to indicate that it will significantly (40 CFR 1508.27) impact the quality of the human environment.

Determination:


I determine that the proposed action (as modified by the recommended approval conditions) does not constitute a major Federal action significantly affecting the quality of the human environment in the sense of NEPA, Section 102 (2)(C).

 DISTRICT ENGINEER
Signature & Title of Approving Official

JUN 18 1980
Date


SELECTED REFERENCES

- Anderson, B.A. 1979, Desert Plants of Utah: Cooperative Extension Service, Utah State University, Logan, Utah. 146 p.
- Bureau of Land Management, 1979, Final Initial Wilderness Inventory, Utah: U.S. Department of the Interior, BLM, Salt Lake City, Utah, 50 p.
- Bureau of Land Management, 1979, Interim Management Policy and Guidelines for Lands Under Wilderness Review: U.S. Department of the Interior, BLM, Washington, D.C. 32 p.
- Keller, E.A., 1976, Environmental Geology: C.E. Merril Publishing Company, Columbus, Ohio. 488 p.
- Rocky Mountain Association of Geologists, 1972, Geologic Atlas of the Rocky Mountain Region: Denver, Colorado. 331 p.
- Wilson, LeMoyne, et.al, 1975, Soils of Utah: Agricultural experiment Station, Bulletin 492, Utah State University, Logan, Utah. 94 p.
- Zarn, Mark, 1977, Ecological Characteristics of Pinyon-Juniper Woodlands on the Colorado Plateau: U.S. Dept. of Interior, Bureau of Land Management, Technical Note 310, Denver, Colorado 183 p.




NP Energy 4
15-3
Sec 15-20S-21E

↑
W



NP ENERGY
15-3
Sec 15-20S-21E

↑
E



NP ENERGY
15-3
Sec 15-20S-21E

N-NW



NP ENERGY
15-3
Sec 15-20S-21E

N-NW



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Moab District
Grand Resource Area
P. O. Box M
Moab, Utah 84532

IN REPLY REFER

3100
(U-603)

May 29, 1980

Memorandum

To: Oil & Gas Office, USGS Conservation Division,
Salt Lake City, Utah
From: Area Manager, Grand Acting
Subject: N.P. Energy Corporation
Federal 15-3, Lease U-2140
NE/NE Section 15, T. 20 S., R. 21 E. SLB&M
Grand County, Utah

On May 14, 1980, a representative from this office met with George Diwachak, USGS, and Hart Gleason agent of N.P. Energy Corp. for an inspection of the above referenced location. Subject to the attached conditions, I am approving the surface management portion of the Application for Permit to Drill.

The archaeological requirement has been fulfilled on this location. No threatened or endangered flora or fauna are indicated in the area.

Please forward the enclosed information to N.P. Energy Corp.

Enclosures (2)
1-Reclamation Procedures
2-Seed Mixture



Save Energy and You Serve America!

STANDARD STIPULATIONS FOR OIL & GAS EXPLORATION

Contact this office at least 24 hours prior to beginning construction of access road and pad.

✓ Stockpile the surface 12 inches of topsoil in a wind-row one-half on the northwest end, and one-half on the southeast end of the location.

The upper banks (uphill side) of all cuts will be rounded during construction of the access road and pad.

Notify the BLM District Archaeologist if cultural material from sub-surface deposits is exposed during the operation.

✓ The trash pit will be at least six feet deep and fenced with fine mesh wire during drilling operations.

The "blooey" line will be centered and directed into the pit.

If production is obtained, the access road will be upgraded to BLM specifications for long-term roads as outlined in the surface use standards section of the "Oil and Gas" pamphlet (joint BLM and USGS publication).

✓ If production is obtained, all production facilities will be painted "desert tan" or a similar color approved by the Grand Resource Area Manager.

Rehabilitation of the site and access road will be accomplished in accordance with the enclosed restoration procedures.

Production facilities and pipeline route are approved on this location under lease rights.

✓ A "V" ditch or furrow will be constructed along west side of the pad to get any water runoff past the topsoil.

There will be some 40 feet of undisturbed soil surface between the edge of the pad and the creek to the east.

<u>SPECIES</u>	<u>LB/ACRE</u>
<u>Grasses</u>	
Oryzopsis hymenoides	Indian Rice Grass
Hilaria jamesii	Curley Grass
<u>Forbs</u>	
Sphaeralcea coccini	Globe Mallow
<u>Shrubs</u>	
Artiplex confertifolia	Shadscale
Ceretoides lanata	Winter Fat
	<div>1</div> <div>1</div> <hr/> <div>5</div>

RECLAMATION PROCEDURES IN GRAND RESOURCE AREA

1. Disk or rip pads and access roads.
 - a. Overlap passes in order to insure complete treatment.
2. Contour pads and access roads.
 - a. Lay berms into centers.
 - b. Use cut material for fill areas.
 - c. Lay stockpiled surface soil over top of pads and spread evenly.
 - d. On highly erosive soils, it may be more beneficial to grade slopes to reduce steepness.
 - e. Do not smooth pads out, leave a roughened surface. On steeper slopes and slopes with clayey soils scarify or serrate the ground in order to increase water infiltration and reduce erosion.
3. Water bar roads where required by this office.

* 2%	Grade	-	200 ft. intervals
2-4%	Grade	-	100 ft. intervals
4-5%	Grade	-	75 ft. intervals
5%	Grade	-	50 ft. intervals

* Actual spacing may vary according to soil stability. Lighter textured soils will require more frequent water bars. When natural drainage ways are present, water bars are to be constructed to make maximum use of them. Plan operations so that natural drainage ways do not become blocked.
4. Seed roads and pads in the fall (Oct. through mid-Dec.).

FROM: : DISTRICT GEOLOGIST, ME, SALT LAKE CITY, UTAH

TO : : DISTRICT ENGINEER, O&G, SALT LAKE CITY, UTAH

SUBJECT: APD MINERAL EVALUATION REPORT

LEASE NO. 11 02140

OPERATOR: NP Energy WELL NO. 15-3

LOCATION: 1/4 NE 1/4 NW 1/4 sec. 15, T. 20S, R. 21E, SLU

Grand County, UT

1. Stratigraphy: Mancos - surface

Dakota - 2445

Cedar Mt. - 2515

Morrison - 2580

- Salt Wash - 2850

Entrada 3180

2. Fresh Water:

none probable

3. Leasable Minerals:

gas & oil possible in Dakota to TD

4. Additional Logs Needed:

adequate

5. Potential Geologic Hazards: none probable

6. References and Remarks:

30 APP Dec 80

Signature: [Signature]

Date: 4 - 15 - 80

Memorandum

N.E. Energy
15-205-21E
15-3

To: District Oil and Gas Engineer, Mr. Edward Gynn

From: Mining, Supervisor, Mr. Jackson W. Moffitt

Subject: Application for Permit to Drill (form 9-331c) Federal oil and gas lease No. U-02140 Well No 15-3

1. The location appears potentially valuable for:

- ☐ strip mining*
- ☐ underground mining**
- ☒ has no known potential.

2. The proposed area is

- ☐ under a Federal lease for _____ under the jurisdiction of this office.
- ☒ not under a Federal lease under the jurisdiction of this office.
- ☐ Please request the operator to furnish resistivity, density, Gamma-Ray, or other appropriate electric logs covering all formations containing potentially valuable minerals subject to the Mineral Leasing Act of 1920.

*If location has strip mining potential:

Surface casing should be set to at least 50 feet below the lowest strip minable zone at _____ and cemented to surface. Upon abandonment, a 300-foot cement plug should be set immediately below the base of the minable zone.

**If location has underground mining potential:

The minable zones should be isolated with cement from a point 100 feet below the formation to 100 feet above the formation. Water-bearing horizons should be cemented in like manner. Except for salines or water-bearing horizons with potential for mixing aquifers, a depth of 4,000 feet has been deemed the lowest limit for cementing.

Signed Allen J. Vance

30 APR REC'D

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on
reverse side)Form approved.
Budget Bureau No. 42-R1425.

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK			
1a. TYPE OF WORK DRILL <input checked="" type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG BACK <input type="checkbox"/>			
b. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/> SINGLE ZONE <input type="checkbox"/> MULTIPLE ZONE <input type="checkbox"/>			
2. NAME OF OPERATOR N. P. ENERGY CORPORATION			
3. ADDRESS OF OPERATOR SUITE 320, 57 WEST SOUTH TEMPLE, S.L.C., UTAH 84101			
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.) At surface NE. NE. Sec. 15, T 20S, R 21E., S.L.M. At proposed prod. zone 846' from E-line and 424' from N-line			
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* Approximately 15 miles NW of Cisco, Utah			
15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)		16. NO. OF ACRES IN LEASE	
424'		2400 Ac.	
18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.		19. PROPOSED DEPTH	
1500'		3250' <i>Entrada</i>	
21. ELEVATIONS (Show whether DF, RT, GR, etc.) 5385' Grd; 5395' K.B.		17. NO. OF ACRES ASSIGNED TO THIS WELL 40 Acres	
22. APPROX. DATE WORK WILL START* April 30, 1980		20. ROTARY OR CABLE TOOLS Rotary	
23. PROPOSED CASING AND CEMENTING PROGRAM			
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH
12 1/2"	8 5/8"	24.00#	200'
7 7/8"	4 1/2"	10.50#	Thru pay zone
QUANTITY OF CEMENT 100 sks <i>Circ. to surf.</i> e-cemented to 200' above K.B.			

It is planned to drill a well at the above location to test the gas and/or oil production possibilities of the sands in the Dakota, Cedar Mt., Morrison, and Entrada formations. The well will be drilled to approximately 50 to 100 ft. below the top of the Entrada formation, if conditions permit. The well will be drilled with rotary tools, using air for circulation. The surface casing (8 5/8") will be set at about 200' K.B. and cemented with returns to the surface. A blowout preventer and rotating head will be installed on top of the surface casing. Fill and kill lines will be connected to the well head below the blind rams on the blowout preventer. Any gas encountered will be flared at the end of the blowout line, and roughly checked for volume thru a 2" line after the pipe rams have been closed. A float valve will be used in the bottom drill collar at all times. A prognosis of the well is attached.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED W. Don Quigley TITLE Vice-President DATE April 1, 1980

(This space for Federal or State office use)

PERMIT NO. 42-019-30637

APPROVAL DATE

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE


APPROVED BY THE DIVISION
OF OIL, GAS, AND MININGDATE: 4-29-80BY: M. L. Minder

*See Instructions On Reverse Side

DIVISION OF
OIL, GAS & MININGRECEIVED 4/29/80
APR 09 1980

LOCATION PLAT FOR
NP ENERGY CORPORATION
FED.#15-3 WELL
NE.NE.SEC.15-20S-21E
GRAND COUNTY, UTAH
(846'fr.E-line & 424'fr.N-line)
Elev.:5385'grd.

1/4 cor.



NE 1/4 SECTION 15

Ref. pts. are 150' N-E-W, & 100'S

I, Sherman D. Gardner, hereby certify
that this plat was plotted from notes
of a field survey made under my direct
supervision, responsibility, and check-
ing on Mar. 17, 1980.

Scale: 1 in. = 400 ft.
Date: Mar. 22, 1980

Sherman D. Gardner

Registered Land Surveyor
State of Utah # 1556.

Plat No. 1

NP ENERGY DISC DOME PROSPECT


R 22 E

R 21 E

T 19 S


T 20 S


T 21 S



Map # 3


CUT AND FILL SCHEMATIC SKETCH
NP ENERGY CORP. FED. #15-3 WELL





P. 21 E

MAP NO



PROGNOSIS FOR
N. P. ENERGY CORPORATION
FEDERAL #15- 3WELL
GRAND COUNTY, UTAH

Location: NE. NE. Section 15, T 20S, R 21E, S.L.M., Grand County, Utah (846' from E-line and 424' from N-line)

Elevation: 5385' grd; 5395' K.B.

Surface Casing: 200 ft. of 8 5/8", 24.00#, K-55, R-3 casing set and cemented with 110 sks of reg. cement w/3% CaCl; with returns to the surface. The surface hole, 12½", will be drilled to 200 ft. K.B. and will be less than 1½° deviation.

Expected Formation Tops:


<u>Formation</u>	<u>Depth to Top</u>	<u>Thickness</u>	<u>Datum</u>
Mancos	Surface	2445'	5395' K.B.
Dakota *	2445'	70'	2950'
Cedar Mountain *	2515'	65'	2880'
Morrison (Brushy B.) *	2580'	270'	2815'
(Salt Wash) *	2850'	250'	2545'
Curtis-Summerville	3100'	80'	2295'
Entrada *	3180'	—	2215'
TOTAL DEPTH	3250'		

*Formations which may contain hydrocarbons

1. It is planned to drill a 12½" surface hole for the surface casing down to a depth of about 200 ft. and set 8 5/8-inch casing with approximately 110 sks of cement with returns to the surface. A casing head or flange will be mounted on top of the surface casing and a blowout preventer with blind and pipe rams (hydraulic) will be mounted on the casing head. A rotating head will then be mounted on top of the blowout preventer. A blewie line, at least 100 ft. long, will then be attached to the rotating head and extended into the reserve pit.
2. A 7 7/8" hole will then be drilled below the surface casing, using air for circulation. A flare will be maintained at the

end of the blewie line at all times while drilling below 2000'. This will insure that no gas will be missed. The air drilling will also minimize the damage to the hydrocarbon reservoir.

3. Samples of the cuttings will begin at 2000'. 30-ft. samples will be taken from 2000' to 2400', and then 10-ft. samples will be taken from 2400' to total depth.
4. It is planned to drill the well to a depth which is approximately 100 feet below the top of the Entrada formation unless good commercial flow of gas is obtained above this depth.
5. If a high gas flow (several million cubic feet) and/or when the total depth of the well is reached, electric logs will be run. Prior to running logs, high viscosity mud (not less than 100 vis.) will be pumped into the hole to provide control of the gas and to provide a conductive medium for the logs. A dual-induction-laterolog will be run from bottom to the top of the hole, and a gamma-density and compensated neutron porosity log will be run from the bottom to a point which is 150' above the top of the Dakota formation. No toxic gases or high pressure zones are anticipated in this well.
6. If good production (over 750 MCF) is obtained, 4½" O.D., 10.50#, K-55, R-3 new casing will be run and cemented conventionally with sufficient R.F.C. cement to cover 200 ft. above the top of the Dakota formation. The production zone will then be perforated, 2 3/8" O.D. tubing run, and completed conventionally.
7. It is anticipated that the drilling of the well will require less than one week.


W. Don Quigley
Consultant
Salt Lake City, Utah

DO-1-79

N T L - 6 P L A N R E P O R T
For

Well Name: Federal #15-3

Location: NE. NE. Sec. 15-20S-21E, S.L.M., Grand County, Utah

1. Existing Roads: (See attached Maps)

A. Well Location: (See Plat #1)

Reference Stakes: 150' N-E-W, and 100' S.

Perimeter Stakes: Above stakes outline perimeter of well pad.

B. Route and Distance to Well Site From Reference Point: (See att. maps)
Approximately 1. miles from W-Cisco Exit on I-70 along Windy Mesa road and Cunningham Ranch road.

C. Access Roads (Identify secondary roads to be used): (See att. maps)
The Windy Mesa-Cunningham Ranch road is used for .14 miles and the last 1 mile to the well site is north along the Horse Pasture Rd and below the rim. About 500' of new road will be constructed for access to the well site. This new road will cross a wash with a low water crossing and proceed westward to the location.

D. Roads Within 3 mile Radius: (See att. maps) Roads have natural surface of shale, sand, silt, and gravel but are graded, and well used. The roads used are improved but are on Mancos soil of shale, clay, and gravel. 500' of new road will be required and the last ½ mile of present road will be crowned and ditched.

Surface type and conditions: The surface of most of the roads is silt, sand, and gravel with good ditches on the sides and crowned in the middle. The last ½ mile of road is unimproved.

E. Roads Within 1 mile Radius: (See att. maps) See 1-D Above.
The location is near a used road which is in poor condition. The roads not used are mostly trails of inferior quality and are unimproved. They are shale, clay, sand, and gravel, and are about 14' wide. The last ½ mile of road to the well is about 12' wide, and will need improvement.

F. Plans for Road Improvement & Maintenance: Most of the roads to the well site are graded and ditched and should require no further maintenance. The new road (500') and the last ½ mile of road will be

F. graded, crowned, and ditched. They will be about 22 ft. wide,
total disturbed width.

2. Planned Access Roads: (See att. maps) 500' of new road.

(1) Width: A disturbed width of 22 ft. wide.

(2) Maximum Grades: Less than 2%

(3) Turnouts: None

(4) Drainage Design: No new drainage required

(5) Location and Size of Culverts, Cuts, and Fills: No culverts are re-
quired. There will be a low water crossing of Calf Canyon Wash.

(6) Surfacing Material: Natural surface of silt, sand and shale w/some
gravel.

(7) Gates, Cattleguards, or Fence Cuts: No additional gates, cattleguards,
etc. required.

(8) All new roads have been flagged as required.

3. Location of Existing Wells: (See Map No. 3)

(1) Water Wells: None

(2) Abandoned Wells: See Maps

(3) Temporarily Abandoned Wells: None

(4) Disposal Wells: None

(5) Drilling Wells: None at present time

(6) Producing Wells: See Map #3 (Approx. 8)

(7) Shut-in Wells: None at Present

(8) Injection Wells: None

(9) Monitoring or Observation Wells: None

4. Location of Existing and/or Proposed Facilities:

A. Within 1-mile radius of location show the following existing
facilities owned or controlled by lessee/operator:

(1): Tank Batteries: (Size) None

(2) Production Facilities: N. P. Energy has several producing gas wells in the area which are equipped with dehydrators, meter houses, and pipe lines. The #14-1 well is ½ mile to the east.

(3) Oil gathering lines: None

(4) Gas gathering lines: 3" lines are laid to some of the producing wells.

(5) Injection lines: None

(6) Disposal lines: None

(7) Are lines buried? All lines on well site will be buried

B. If new facilities are contemplated, in the event of production, show: (These facilities depend on the outcome of the proposed well and are really unknown at this time.) Show a general proposed plan. (See Plat No. 2)

(1) Are any facilities planned off well pad? None at the present time, until the well is completed. If gas, some flow lines will be required and will be applied for at a later date. If oil, the facilities outlined on Plat #2 should be adequate.

(2) Give dimensions of facilities: See Plat #2

(3) Construction methods and materials: Location will be levelled for production equipment. Tank batteries will be placed on a 3" gravel pad and surrounded with a 36" dike (15' from tanks). Separators and heater-treaters will be placed on gravel pads or cement bases. Pump jacks will be on cement platforms or on raised dirt and gravel mounds. All pipe lines on the pad will be buried. Any proposed gas pipeline will be laid on the surface. No grading will be required and disturbance will be kept to a minimum.

(4) Protective measures for livestock and wildlife: All open pits will be fenced with woven wire (sheep) fence (40") and pump jacks or rotating machinery will have guards to prevent danger by moving parts.

C. Plan for rehabilitation of disturbed areas no longer needed after drilling operations are completed: Well site will be cleaned, levelled and graded for production equipment; pits folded-in or fenced with

- C. woven wire if they contain any amount of fluid before the rig is removed. While production ensues, previous areas of well pad not needed for production operations will be restored as in Item 10 below. Cleaning the site and pit work will be done within 30 days after the well is completed, if possible.
5. Location & Type of Water Supply: (See att. maps)

A. Type of Water Supply: From Nash Wash at a point marked on Map #1 in Section 23, T 20S, R 21E. This is about 1 mile from the location.

B. Method of Transporting Water: The water will be hauled from Nash Wash to the well site by truck along the access road. This will be approximately 1 mile from the wash to the well site.

C. Is Water Well Planned? No
If so, describe location, depth and formation: _____

6. Source of Construction Materials:

A. See attached map and describe: None will probably be required, since the well will be drilled during the good weather season.

B. Identify if Federal, Indian, or Fee Land: _____

C. Describe Material: (Where from and how used) _____

D. See item 1-C and 2 above.

7. Waste Disposal:

- The cuttings will be blown into the reserve pit, and the
- (1) Cuttings: blewie line will be directed into the cut portion of the pit.
- (2) Drilling Fluids: In mud tanks; excess put into reserve pit.
- (3) Producing Fluids (oil or water) Oil in tanks; water in reserve pit.
- (4) Human Waste: Toilet with pit (4' deep) with lime for odor and sanitation control. Will be covered with soil (3' deep) at end of operation.

(prior to commencement
of drilling)

(5) Garbage & Other Waste: (Burn pit will be adequately fenced with chicken wire to prevent scattering of debris by wind) Into burn pit, 4'X6'X6' deep, and burned periodically. The burn pit will be approx. 125' from well head.

(6) Clean-up: (See item 10 below) All garbage and unburned debris will be buried by at least 3' of cover after the drilling and completion operations are finished. The unused material and all equipment will be removed from the site and taken to supply yards or to the next drill site, as soon as the well is completed.

8. Airstrips and/or Camp Sites (Describe): None needed.

9. Well Site Layout: (See Plat No. 3)

(1) Describe cuts or fills: The location is on an uneven surface which will be levelled after the top soil (12" deep) has been removed. A large cut and fill will be required. The access road is on the east side of the location and crosses a wash east of the site. A cut and fill (pg. 7)

(2) Describe pits, living facilities, soil stockpiles: Reserve pit is long and narrow as shown and will be placed on the NE. side. The reserve pit will be fenced on 3 sides prior to commencement of drilling operations

Excavated material will be piled at the NE. end of pit, with top soil piled separately at far end. Top soil (12" deep) will be piled at NW. & SE. ends of site. 2 or 3 trailer houses will be provided for supervisory personnel.

(3) Rig Orientation, Pipe rack, Access Road Entrance, etc.: (See Plat No. 3)

(4) Are Pits Lined? Unlined with 4' banks on sides and a 10 to 12' bank at the far end of the pit.

10. Plans For Restoration:

A. If Well is completed: Site will be cleaned, debris removed, pits folded-in or fenced with woven wire if full of fluid, and site levelled for production equipment. All unused portions will be contoured, grade scarred, and seeded with wheat grass, or acceptable seed mix authorized by BLM.

B. If Well is abandoned:

(1) Clean-up, levelling, folding pits-in, contouring: These items will be done as soon as possible. Clean-up will be accomplished at

- B. (1) time rig is removed. The rest of the work should be done within 60 days after well is completed.
- (2) Seeding location and access road: Site will be seeded with crested wheat grass, or with a seed mix suggested by BLM by drilling after being graded and prepared with a dozer. The 500' of access road, will be erased contoured, and restored to normal and seeded as above.
- (3) Will pits be fenced or covered? If there is any amount of fluid in the reserve pit, it will be fenced with woven wire before rig is released and remain fenced until the fluid dries up and pit reclaimed.
- (4) Is there any oil in reserve pit?
If so, describe disposal: Should not be any great amount. If there is any amount, it will be removed prior to covering pit.
- (5) When will restoration work be done? As soon as possible. Within 60 days after equipment is removed if weather and availability of clean-up equipment permit and will be completed within 10 days thereafter.

11. Description of Land Surface:

- (1) Topography & Surface Vegetation: Location is on uneven ground near a high cliff and slopes about 5° to the NE. It is on typical Mancos soil of silt and gravel. Sage brush, shad scale, and grass are the present vegetation.
- (2) Other Surface Activities & Ownership: The land around drill site is federal land with minerals and surface owned by public. N.P. Energy has an oil and gas lease on the area. The area does have some grazing by cattle. There are no powerlines or sites, irrigation ditches or cultivation in the immediate area. Cunningham Ranch headquarters is about 1 mile SW. of well site.
- (3) Describe other dwellings, archaeological, historical, or cultural sites: There are no known archaeological, historical or cultural sites in the area. An archaeological report on the location and access road will be filed as soon as possible. The fields, buildings, and headquarters of the Cunningham Ranch are located 1 mile to the SW. and the ranch is engaged in the cattle business.

12. Operators Representative: (Address & Phone number)

W. Don Quigley, Suite 440, 57 W. So. Temple, Salt Lake City, Utah 84101
801-359-3575

13. Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the drill site and access route; that I am familiar with the conditions which presently exist; that statements made in this plan are, to the best of my knowledge, true and correct; and that work associated with the operations proposed herein will be performed by N. P. ENERGY CORPORATION and its contractors in conformity with this plan and terms and conditions under which it is approved.

Date: April 3, 1980


Name:

H. Don Gungley


Title: Vice-President
Consultant

9. (2): sketch of the location is attached.

PLAN FOR PRODUCTION EQUIPMENT
N. P. ENERGY CORPORATION
FEDERAL #15-3 WELL
NE. NE. SEC. 15-20S-21E.



fillside



PLAT # 3

WELL CONTROL EQUIPMENT FOR
N. P. ENERGY CORPORATION
FEDERAL #15-3 WELL
NE. NE. SEC. 15-20S-21E.
GRAND COUNTY, UTAH

The following control equipment is planned for the above designated well: (See attached diagram)

1. Surface Casing:

- A. Hole size for surface casing is 12 $\frac{1}{4}$ ".
- B. Setting depth for surface casing is approx. 200 ft.
- C. Casing specs. are: 8 5/8" O.D., K-55, 24.00#, 8 rd. thread, R-3 new or used.
- D. Anticipated pressure at setting depth is approx. 20 lbs.
- E. Casing will be run using three centralizers and a guide shoe, and will be cemented with 110 sks of cement with returns to the surface.
- F. Top of the casing will be near ground level.

2. Casing Head:

Flange size: 10", A.P.I. Pressure rating: 2000# W.P., Series 600; Cameron, OCT, or equivalent; new or used; equipped w/two 2" ports with nipples and 2", 2000# W.P. ball or plug valves. Casing head and valves set above ground level. (A flange only may be used on top of the casing, if the B.O.P. is equipped with 2" outlets below the blind rams.)

3. Intermediate Casing:

None

4. Blowout Preventors:

- A. Double rams; hydraulic; one set of blind rams; one set of rams for 3 $\frac{1}{2}$ " or 4" drill pipe; 10" flange; 2000# or greater W.P.; Series 900; equipped with mechanical wheels and rod for back-up; set on top of casing head flange and securely bolted down, and pressure tested for leaks up to 2000# p.s.i. A hydraulically operated hy-drill may be used in place of the above B.O.P., if equipped with 2" outlets below the rams.
- B. Rotating Head: Shaffer, Grants or equivalent; set on top of blowout preventor and bolted securely; complete with kelly drive, pressure lubricator; 3 $\frac{1}{2}$ " or 4" rubber for

2000# W.P.; need not have hydril assembly on bottom, if a separate hydril or B.O.P. is used.

- C. Fill and Kill Lines: The fill and kill lines (2" tubing or heavy duty line pipe) are to be connected thru the 2" valves on the casing head and thru a manifold to permit ready switching from the fill to kill lines.

5. Auxillary Equipment:

A float valve is to be used in the bottom drill collar at all times. A safety valve that can be used in the drill pipe will be kept within easy reach on the rig floor at all times.

6. Anticipated Pressures:

The shut-in pressures of the Dakota, Cedar Mountain, and Morrison formations at depths of 2000' to 3000' in the area have been measured at about 600# to 800# maximum. No toxic gases or high pressures are anticipated.


7. Drilling Fluids:

Air will be used to drill the subject well until water is encountered, then air-soap-water mist will be used to drill the well deeper. In case of excessive caving problems, it may be necessary to convert to mud.


8. Production Casing:

- A. Hole size for production casing will be 7 7/8".
- B. Approx. setting depth will be about 3300'.
- C. Casing Specs. are: 4 1/2" O.D.; K-55; 10.50#; 8-rd thread; R-3, new.
- D. If good production is obtained, the casing will be run with a guide shoe at the bottom and about six centralizers and cemented conventionally with sufficient R.F.C. cement to cover 200 ft. above the top of the Dakota formation. The production zone will be perforated, 2 3/8" O.D. tubing will be run, and the well completed conventionally. In the event the production is small, it may be desirable to minimize the damage to the formation by keeping all mud and cement off the formation. In this case the procedure outlined below will be used.
- E. Casing will be run with about six centralizers and a cement basket with DV tool set above the production zone.

There will be sufficient casing to extend thru the production zone below the basket with a blind guide shoe on the bottom. The casing will be cemented above the packer with about 85 sks of cement (sufficient to cement thru the Dakota formation). The cement will be allowed to cure at least 48 hrs. The plug can then be drilled out and the casing perforated below the DV tool. Two inch tubing will be run and secured in the tubing head prior to perforating.


W. Don Quigley
Consultant
Salt Lake City, Utah

**SCHEMATIC DIAGRAM OF
CONTROL EQUIPMENT FOR THE
N. P. ENERGY CORPORATION
FEDERAL #15-3 WELL
NE. NE. SEC. 15-20S-21E.**



** FILE NOTATIONS **

DATE: April 9, 1980

Operator: N. P. Energy Corporation

Well No: Federal #15-3

Location: Sec. 15 T. 20S R. 21E County: Grand

File Prepared: ☒

Entered on N.I.D.: ☒

Card Indexed: ☒

Completion Sheet: ☒

☒ API Number 43-019-30637

CHECKED BY:

Geological Engineer: _____

Petroleum Engineer: M. J. Minder 4-29-80

Director: _____

APPROVAL LETTER:

Bond Required: ☐

Survey Plat Required: ☐

Order No. 102-25

O.K. Rule C-3 ☐

Rule C-3(c), Topographic Exception/company owns or controls acreage within a 660' radius of proposed site ☐

Lease Designation Fed

Plotted on Map ☒

Approval Letter Written ☒

Wm

#3

NE
PI

April 30, 1980

N.P. Energy Corporation
57 West South Temple, Suite 320
Salt Lake City, Utah 84101

Re: Well No. Federal #15-2, Sec. 15, T. 20S, R. 21 E., Grand County, Utah
Well No. Federal #15-3, Sec. 15, T. 20S, R. 21E., Grand County, Utah

Insofar as this office is concerned, approval to drill the above referred to oil/gas wells is hereby granted in accordance with the Order issued in Cause No. 102-25 dated April 23, 1980.

Should you determine that it will be necessary to plug and abandon these wells, you are hereby requested to immediately notify the following:

MICHAEL T. MINDER - Petroleum Engineer
Office: 533-5771
Home: 876-3001

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API numbers assigned to these wells are #15-2: 43-019-30636;
#15-3: 43-019-30637.

Sincerely,

DIVISION OF OIL, GAS AND MINING

Michael T. Minder
Petroleum Engineer

/b:tm

cc: USGS

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5.

5. LEASE DESIGNATION AND SERIAL NO.

U-02140

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Federal

9. WELL NO.

Federal #15-3

10. FIELD AND POOL, OR WILDCAT

Cisco Dome (Greater Cisco area)

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

NE/NE Sec. 15-20S-21E

SLM

12. COUNTY OR PARISH

Grand

13. STATE

Utah

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL ☐ GAS WELL ☒ DRY ☐ Other

b. TYPE OF COMPLETION:

NEW WELL ☐ WORK OVER ☒ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other

2. NAME OF OPERATOR

NP Energy Corporation

3. ADDRESS OF OPERATOR

57 West South Temple, Suite 320, SLC, UT 84101

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface NE/NE Sec. 15, T20S, R21E, SLM

At top prod. interval reported below

At total depth 846' FEL, 424' FNL

14. PERMIT NO.

43-019-30637

DATE ISSUED

1-4-80

15. DATE SPUDDED

June 25, '80

16. DATE T.D. REACHED

June 30, '80

17. DATE COMPL. (Ready to prod.)

July 28, 1980

18. ELEVATIONS (DF, REB, RT, GR, ETC.)*

5385' GL; 5395' k.b.

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD

2680'

21. PLUG, BACK T.D., MD & TVD

2644'

22. IF MULTIPLE COMPL., HOW MANY*

One

23. INTERVALS DRILLED BY

→

ROTARY TOOLS

0-2680'

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

2591' - 2595'

Morrison

25. WAS DIRECTIONAL SURVEY MADE

NO

26. TYPE ELECTRIC AND OTHER LOGS RUN

Cement Bond Log, Dual Induction Laterolog, Gamma-Density, CNL

27. WAS WELL CORED

NO

28. CASING RECORD (Report all strings set in well)

CASINO SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	24.00#	165 k.b.	12 1/4"	130' sks	NONE
4 1/2"	10.50#	2674' k.b.	7 7/8"	225 sks	NONE

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
NONE					2 3/8" od	2581' k.b.	

31. PERFORATION RECORD (Interval, size and number)

2591' - 2595' 2 sh/ft.

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
NONE	

33.* PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or Shut-in)	
July 28, 1980		Flowing				Shut-in	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
July 28, '80	2 hrs.	3/4"	→		3333/D	NONE	
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
255#	400#	→		3333 MCF			

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Vented

TEST WITNESSED BY

35. LIST OF ATTACHMENTS

Drilling and Completion History

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

[Signature]

TITLE Secretary/Treasurer

DATE 9/10/80

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 33.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval, zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF: CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
Morrison	2591	2595	Appears to be a relatively clean, permeable Morrison sand about 20' thick - drilled into the formation using air; had an immediate strong blow of combustible gas to the surface. Gas flow increased steadily until the well was finally killed with mud.

38. GEOLOGIC MARKERS

NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH
Mancos	Surface	
Dakota	2445	
Cedar Mtn.	2515	
Morrison	2591	



Telephone (303) 242-8271

GLEASON ENGINEERING

Registered Professional Engineer

HART C. GLEASON, P.E.
3233 Lakeside Drive, #101
Grand Junction, Colorado 81501

N.P. ENERGY CORPORATION

FEDERAL 15 - 3

NE/4 NE/4 Sec. 15, T20S, R21E

Grand County, Utah

Elevations: 5385' GL; 5395' K.B.

Chronological History

July 26 and 28, 1980

Gleason Engineering

By Hart C. Gleason, P.E.

N.P. Energy Federal #15-3
NE/NE Sec. 15, T20S, R21E
Grand County, Utah
Elev. 5385'GL; 5395'K.B.

7/26/80 Fowler Well Service rigged up. Fowler also cut out a landing plate
(Saturday) for the 4½" casing on #15-1 and welded it to the surface casing so
0900 hrs. that we will be able to hang the 4½" casing when we move on the #15-1.

1000 hrs. Casing cut off and waiting on Bookcliff supply to deliver wellhead
equipment and tubing. The truck they loaded last night broke down
and they had to reload equipment to another truck this morning.

1100 hrs. Both Bookcliff Supply truck and GO Wireline truck arrived on location.
Welded bell nipple on the 4½" casing.

1200 hrs. Tubing and wellhead equipment unloaded. GO Wireline having problems
calibrating CBL tool.

1345 hrs. GO Wireline finally has CBL tool calibrated.

1515 hrs. Finish running CBL.

1530 hrs. Film on seismic spectrum came out too dark. Re-running seismic
spectrum.

1545 hrs. Out of hole with CBL tool. GO Wireline PBTD 2644'.

1600 hrs. Decided to wait until Monday to perforate and run tubing since we
will be crowded for time now to perforate, run tubing and swab the
well in during daylight hours.
Note: Bookcliff truck also unloaded tubing, wellhead and fittings
at NP #15-1.

7/28/80 GO Wireline on location and rigging up to perforate.
(Monday)
0800 hrs.

0900 hrs. Perforated 4½" casing with a 3 1/8" O.D. casing gun loaded with 2
Densé Jet X shots per foot from 2591'-2595' for a total of 9 shots.
GO Wireline out of hole and rigging down.

0915 hrs. Running tubing with a 1 25/32" SN on bottom and 2" tubing disc one
joint up.

1200 hrs. Ran 79 joints of 2 3/8", 4.7#, EUE, ERW 7000 psi test tubing plus
2-8' pup joints for a total of 2574'. Tubing and seating nipple set
at 2581' K.B. (10' above new perforations). Nippled up tubing head
and rigging up to swab.

1230 hrs. Made one run to break tubing disc and second run to swab well in.
While going in to make third run well started unloading.

1415 hrs. Flowing well to clean it up. Very little moisture coming out flow
line. Decided to rig down Fowler Well Service while testing well.

N.P. Energy Federal #15-3 (continued)

7/28/80 Fowler Well Service rigged down and moving to the N.P. Energy
(Monday Federal #15-1. Hooked up critical flow prover.(3/4" orifice
cont.) plate) C=224.9.
1500 hrs.

<u>Time</u>	<u>C.P.</u>	<u>Flow Press.PSIG</u>	<u>MCF/D</u>	<u>Remarks</u>
1445	775#	#370		Open Well
1450	440	260		Open Well
1455	400	245		Open Well
1500	400	255		Open Well
1530	400	255		Open Well
1545	400	255		Open Well
1600	400	255 (aug)	3333.MCF/D	Shut-In
1605	620	Then $224.9 \times .0555 \times (255 + 12)$		
		= 3333 MCF/D.		Shut-In
1610	760			Shut-In
1620	780			Shut-In

1630 hrs. Rigged down critical flow prover.

N.P. ENERGY CORPORATION

Federal #15-3

NE/4 NE/4 Sec. 15, T20S, R21E

Grand County, Utah

Elevations: 5385' GL; 5395' K.B.

Gleason Engineering

By

D.W.M.
H.C. Gleason

David W. Meehan
Petroleum Engineer

N.P. Energy Federal #15-3
NE/NE Sec. 15, T20S, R21E
Grand County, Utah
Elevation: 5385 G.L.; 5395 K.B.

6-29-80

(Sunday)

1800 hrs. Drilling with air @ 2407' & starting to take 10' samples. Estimated top of Dakota is 2445'.

2330 hrs. Drilled to 2602' and got a large gas flare.

6-30-80

(Monday)

0100 hrs. Drilled to 2638'; hole making too much gas to drill ahead with air. Estimate gas volume at 3000 MCF/D. Started mixing mud to kill well.

0330 hrs. Pumped mud pit capacity away (about 150 bbls.). Did not get any fluid back and well still blowing strong. Out of water. Called for more mud materials and water.

0400 hrs. Due to wind blowing flame from blooie line back towards rig, start laying a bleed off line from the wellhead to the south corner of the location using 3 1/2 I.F. drill pipe. Also, cleared the area of brush.

0600 hrs. Finally had to close in blooie line and use bleed-off line.

0730 hrs. Mud material and water truck on location..

0800 hrs. Mixing mud and LCM.

1130 hrs. Start pumping mud again to kill well. Mud wt. 10.1#/gal. vis. 80 sec.

1200 hrs. Well killed but still did not get circulation. Start mixing more mud and LCM.

1530 hrs. Started pumping another pit of mud in hole. Pumped 10 minutes and got circulation back. Resumed drilling at 2638'.

1630 hrs. Drilling rate is about 15 minutes to the foot.

2400 hrs. Drilled to 2680' and lost circulation again.

7-1-80

(Tuesday)

0100 hrs. Mixing more mud and LCM.

0500 hrs. Finished mixing mud and pumped it in hole without gaining circulation. Called Don Quigley and he said to go ahead and log and set 4 1/2" casing at the 2680' depth.

0530 hrs. Tripping out of hole for logs.

0800 hrs. Out of hole and rigging up Schlumberger.

7-1-80
(Tuesday)

0830 hrs. Go in hole for logs.

0900 hrs. Pull logging tool out of hole to check it. It works okay at the surface but 200 feet down the hole it quits.

1115 hrs. Found disconnected lead in cable head. Repaired same. Running DI/CNL log. Tested caliper tool. It opened but wouldn't close. Ordered out a new tool.

1230 hrs. Finish running DI/CNL. Wait on caliper tool to run gamma density log.

1330 hrs. New caliper tool arrived on location. Rigging up to run Gamma Density log.

1530 hrs. Finish logging. Schlumberger rigging down. Top of fluid in hole @ 434'.

1600 hrs. Trip in hole with drill collars and drill pipe in order to come out laying down same in singles.

7-2-80
(Wednesday)

0030 hrs. Drill pipe and collars laid down. Rigging up to run casing.

0300 hrs. Finish running casing. Filled pipe with mud and got circulation back. Tagged bottom @ 2676' and will set casing @ 2674 K.B. Ran 68 jts. of 4 1/2", 10.5#, J-55 casing for a total of 2695 feet. Set casing @ 2674' K.B. with float collar at 2662 feet. Centralizers set at 2662', 2580', 2509', 2428', and 2348'.

0345 hrs. Dowell on location and rigging up.

0445 hrs. Start pumping cement.

0530 hrs. CIP. Cemented with 130 sks. of 10-2 RFC cement. Displaced cement with 42 bbls. of 2% KCL water. Bumped plug with 1000 psig.

October 22, 1980

NP Energy Corporation
57 West South Temple
Suite 320
Salt Lake City, Utah 84101

RE: Well No. Federal #15-3
Sec. 15, T. 20S, R. 21E.,
Grand County, Utah

Gentlemen:

According to our records, a "Well Completion Report" filed with this office September 9, 1980, from above referred to well indicates the following electric logs were run: Cement Bond Log, Dual Induction Laterolog, Gamma-Density, CNL. As of today's date this office has not received these logs.

Rule C-5, General Rules and Regulations and Rules of Practice and Procedure, requires that a well log shall be filed with the Commission together with a copy of the electric and radioactivity logs.

Your prompt attention to the above will be greatly appreciated.

Sincerely,

DIVISION OF OIL, GAS AND MINING

BARBARA HILL
CLERK TYPIST

/bjh

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. U-02140	
2. NAME OF OPERATOR NP Energy Corporation		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
3. ADDRESS OF OPERATOR 11340 W. Olympic Blvd. #175, Los Angeles, CA 90064		7. UNIT AGREEMENT NAME	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface NE/NE, Sec. 15, T20S, R21E, SLM 846' FEL, 424' FNL		8. FARM OR LEASE NAME Federal	
14. PERMIT NO.		9. WELL NO. 15-3	
15. ELEVATIONS (Show whether of, at, or, etc.)		10. FIELD AND POOL, OR WILDCAT Cisco Dome	
		11. SEC., T., R., M., OR S.E. AND SURVEY OR AREA NE/NE Sec. 15 T20S R21E SLM	
		12. COUNTY OR PARISH Grand	
		13. STATE Utah	

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

ABANDON* ☐

CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐

FRACTURE TREATMENT ☐

SHOOTING OR ACIDIZING ☐

(Other) ☐

REPAIRING WELL ☐

ALTERING CASING ☐

ABANDONMENT* ☐

(Other) Install surface facilities ☒ ☒

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

- 1.) Construct a compressor station on the Fed. 15-3 lateral (near the 15-3 purchase meter).
- 2.) Flow line will be 2" Dia, schedule 60, welded, buried, and wrapped.
- 3.) Install a 3" dia flowline from 11-2, 14-1, 14-1A to the compressor station.
- 4.) Install a dehydrator at teh compressor site.
- 5.) Northwest will maintain the purchase meter at the compressor site.
- 6.) NP Energy will maintain the new flowline, the meters at 11-3, 14-1, 14-1A, and 15-3, compressor, and dehydrator.
- 7.) SEE ATTACHED MAP AND DIAGRAM.

NP Energy plans to construct this facility in August of 1984.

18. I hereby certify that the foregoing is true and correct

SIGNED

Bob Tagorean

TITLE President

DATE 5-23-84


(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:



NPEnergy

PHASE 1

DFG

3/28/84



EPS Resources Corporation

5655 South Yosemite
Suite 460
Englewood, CO 80111
(303) 721-7920

April 11, 1989

Bureau of Land Management
Moab District Office
P. O. Box 970
Moab, Utah 84532

RE: Self-Certification Letter

Gentlemen:

Please be advised that EPS Resources Corporation is considered to be the operator of the wells in the Cisco Dome Field (see attachment Exhibit "B") in Grand County, Utah and is responsible under the terms and conditions of the leases for the operations conducted on the leased lands.

Bond coverage for the listed wells is provided by LC #244.

The BLM office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibilities are met.

Sincerely,

A handwritten signature in dark ink, appearing to read 'Edward Neibauer', written over a horizontal line.

Edward Neibauer
President and Chief Operating Officer

EN/dak

Enclosure

EXHIBIT "B"
ATTACHMENT TO SELF-CERTIFICATION LETTER
CISCO DOME FIELD
GRAND COUNTY, UTAH

LEASE #UTUO2139A

<u>WELL NUMBER</u>	<u>SECTION</u> <u>1/4 OF 1/4</u>	<u>TWP</u>	<u>RNG</u>
23-1	23SWNE	20S	21E
25-1	25SWNE	20S	21E
24-3	24SWSE	20S	21E
14-3	14NESE	20S	21E
24-2	24NWNW	20S	21E
25-3	25SESE	20S	21E
23-2	23NWNW	20S	21E
25-2	25SWSW	20S	21E
23-3	23NESW	20S	21E
25-4	25NENW	20S	21E
23-4	23NWSE	20S	21E
14-4	14SWSW	20S	21E
24-4	24NWNE	20S	21E

LEASE #UTU02140A

<u>WELL NUMBER</u>	<u>SECTION</u> <u>1/4 OF 1/4</u>	<u>TWP</u>	<u>RNG</u>
13-1	13SWSW	20S	21E
14-1	14NWNW	20S	21E
14-1A	14NWNW	20S	21E
1-10	10NWSW	20S	21E
11-1	11NWSW	20S	21E
14-2	14NENE	20S	21E
15-1	15NESE	20S	21E
22-1	22SENE	20S	21E
15-2	15NWNW	20S	21E
15-3	15NENE	20S	21E
13-2	13SENE	20S	21E
12-1	12SWSW	20S	21E
11-2	11SESE	20S	21E
13-3	13NWNE	20S	21E
11-3	11SWSW	20S	21E
13-4	13NWSE	20S	21E
15-4	15SWSW	20S	21E
10-2	10NESW	20S	21E

LEASE #UTU12702A

<u>WELL NUMBER</u>	<u>SECTION</u> <u>1/4 OF 1/4</u>	<u>TWP</u>	<u>RNG</u>
✓ 31-1A	31NENW	20S	22E
✓ 19-3	19SWSW	20S	22E
✓ 19-1A	19SWNW	20S	22E

32-1

32

20S

22E

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on
reverse side)

Form approved
Budget Bureau No. 1004-0135
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

UTU02139A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

9. WELL NO.

see attached

10. FIELD AND POOL, OR WILDCAT

Cisco Dome Field

11. SEC., T., R. M., OR BLK. AND
SURVEY OR AREA

see attached

12. COUNTY OR PARISH 13. STATE

Grand

UT

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL ☐ GAS ☒ OTHER ☐
WELL WELL

2. NAME OF OPERATOR

EPS RESOURCES CORPORATION

3. ADDRESS OF OPERATOR

5655 South Yosemite, Suite 460, Englewood, CO 80155

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface

see attached

14. PERMIT NO.

15. ELEVATIONS (Show whether oil, gas & mining)

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other) Change of Operator

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

(Note: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

EPS Resources Corporation has acquired the interests of NP Energy and is Operator of the wells on the attached sheet effective December 1, 1988. (see attached Self-Certification letter.)

18. I hereby certify that the foregoing is true and correct

SIGNED

Edward Neibauer

TITLE

President

DATE 4-11-89

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

District Mgr.

DATE

4/25/89

CONDITIONS OF APPROVAL ATTACHED

*See Instructions on Reverse Side

Division of Oil, Gas and Mining
PHONE CONVERSATION DOCUMENTATION FORM

MICROFICHE

Route original/copy to:

☐ Well File EPS Res.

☐ Suspense
(Return Date) _____
(To - Initials) _____

☐ Other _____

Sects.
13, 14, & 15

(Location) Sec 13-4, 14-4, and 15-3
(API No.) 43-019-30885, 30878,

& 80637 resp.

1. Date of Phone Call: 3-28-90 Time: 10:00 AM

2. DOGM Employee (name) C.J. Kierst (Initiated Call ☒)
Talked to:

Name Ed Niebauer (Initiated Call ☐) - Phone No. (303) 721-7920

of (Company/Organization) EPS Resources Corp.

3. Topic of Conversation: Gas Leaks on ^{7d.} 13-4, 14-4, 15-3 wells
in T20s R21e of Guate, Cisco Field, Grand Co., Utah.

4. Highlights of Conversation: Said he would get it looked after.
I also mentioned need for signs and facts that some
charts on producing wells hadn't been changed.
He said they would check that over, also and
they may be doing some development drilling later
this year.

Valley Operating, Inc.

Office: (303) 355-3242 Fax: (303) 377-9798

745 Gilpin Street
Denver, Colorado 80218-3633

April 8, 1991

Bureau of Land Management
Moab District Office
Mr. Dale Manchester
P.O. Box 970
Moab, Utah 84532

RE: Self-Certification Letter

Dear Mr. Manchester:

Please be advised that Valley Operating, Inc. is considered to be the operator of the wells in the Cisco Dome Field (see attachment Exhibit "B") in Grand County, Utah and is responsible under the terms and conditions of the leases for the operations conducted on the leased lands.

Bond coverage for the leased wells is provided by BLM Bond Number UTO 832.

The BLM office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibilities are met.

Sincerely,

A handwritten signature in cursive script, appearing to read "F. Lee Robinson", followed by a horizontal line. To the right of the signature is the handwritten date "4/8".

F. Lee Robinson
Vice-President

cs
Enclosures

cc: Diane Wright, BLM



MONTHLY OIL AND GAS PRODUCTION REPORT

Operator name and address:

• DALE ANNE KESLER
EPS RESOURCES CORP
5655 S YOSEMITE #460
ENGLEWOOD CO 80111

RECEIVED

SEP 21 1992

DIVISION OF

OIL GAS & MINING

Utah Account No. N2025

Report Period (Month/Year) 8 / 92

Amended Report ☐

Well Name	Producing	Days	Production Volume		
API Number Entity Location	Zone	Oper	Oil (BBL)	Gas (MSCF)	Water (BBL)
FEDERAL 15-3					
4301930637 08155 20S 21E 15	MRSN	✓	U-02140A		
FEDERAL 22-1			" A		
4301930625 08156 20S 21E 22	CDMTN				
FEDERAL 31-3			U-12702B		
4301930428 08169 20S 22E 31	DKTA				
FEDERAL 14-1			U-02140A		
4301930430 08169 20S 21E 14	DKTA				
FEDERAL 18-1			U-37730		
4301930875 08200 20S 22E 18	DKTA				
FEDERAL 19-3			U-12702A		
4301930302 08201 20S 22E 19	DKTA				
FEDERAL 19-1A			U-12702A		
4301930896 08201 20S 22E 19	DKTA				
FEDERAL 30-1			U-12702		
4301930429 08203 20S 22E 30	DKTA				
FEDERAL 31-1A			" A	SSS	
4301930308 08204 20S 22E 31	DK-MR				
FEDERAL 31-2			U-12702B		
4301930876 08205 20S 22E 31	DKTA				
STATE #32-1			-ML-24295	(Reg. doc. 4-2392-N + chgd)	
4301930347 08206 20S 22E 32	DKTA				
FEDERAL #10-2			U-02140A		
4301931210 08207 20S 21E 10	MRSN				
FEDERAL #15-4			U-02140A		
4301930887 10140 20S 21E 15	CM-MR				
TOTAL					

Comments (attach separate sheet if necessary)

I have reviewed this report and certify the information to be accurate and complete.

Date

Authorized signature

Telephone

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instruction
verse side)

Budget Bureau No. 1004-0133
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☐ GAS WELL ☒ OTHER

2. NAME OF OPERATOR

Valley Operating, Inc.

3. ADDRESS OF OPERATOR

745 Gilpin Street, Denver, CO 80218

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

See Attached

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, WT, GR, etc.)

5. LEASE DESIGNATION AND SERIAL NO.

UTU02140A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

9. WELL NO.

See Attached

10. FIELD AND POOL, OR WILDCAT

Cisco Dome Field

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

See Attached

12. COUNTY OR PARISH 13. STATE

Grand

UT

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other) Change of Operator

X

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(Note: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Valley Operating, Inc. is Operator of the wells on the attached sheet effective March 8, 1991 (See attached Self-Certification Letter)

RECEIVED

SEP 21 1992

DIVISION OF
OIL GAS & MINING

18. I hereby certify that the foregoing is true and correct

SIGNED

F. Lee Robinson

TITLE

Vice President

DATE 4-8-91

(This space for Federal or State office use)

APPROVED BY

William C. Hays

TITLE

Assistant District Manager

DATE 5/6/91

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

APPENDIX: 24 4/12/91
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

EXHIBIT "A" FOR CHANGE OF OPERATOR
ATTACHMENT TO SUNDRY NOTICE
CISCO DOME FIELD
GRAND COUNTY, UTAH

LEASE #UTU02140A

<u>WELL NUMBER</u>	<u>SECTION</u> <u>1/4 OF 1/4</u>	<u>TWP</u>	<u>RNG</u>
13-1	13SWSW	20S	21E
14-1	14NWNW	20S	21E
14-1A	14NWNW	20S	21E
1-10	10NWSW	20S	21E
11-1	11NWSW	20S	21E
14-2	14NENE	20S	21E
15-1	15NESE	20S	21E
22-1	22SENE	20S	21E
15-2	15NWNW	20S	21E
15-3	15NENE	20S	21E
13-2	13SENW	20S	21E
12-1	12SWSW	20S	21E
11-2	11SESE	20S	21E
13-3	13NWNW	20S	21E
11-3	11SWSW	20S	21E
13-4	13NWSE	20S	21E
15-4	15SWSW	20S	21E
10-2	10NESW	20S	21E

RECEIVED

SEP 21 1992

DIVISION OF
OIL GAS & MINING

Valley Operating, Inc.
Various Wells
T. 20 S., R. 21 E.
Grand County, Utah
Lease U-02140A

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Valley Operating, Inc., is considered to be the operator of the above well and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for this well is provided by UT0832 (Principal - Valley Operating, Inc.) via surety consent as provided for in 43 CFR 3104.3.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

Routing	
1- VLC	7- VLC
2- DTB	
3- VLC	
4- RJF	
5- RWM	
6- ADA	

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- ☒ Change of Operator (well sold) ☐ Designation of Agent
☐ Designation of Operator ☐ Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 3-8-91)

TO (new operator)	<u>VALLEY OPERATING INC</u>	FROM (former operator)	<u>EPS RESOURCES CORP</u>
(address)	<u>745 GILPIN ST</u>	(address)	<u>5655 S YOSEMITE #460</u>
	<u>DENVER, CO 80218-3633</u>		<u>ENGLEWOOD, CO 80111</u>
	<u>LEE ROBINSON</u>		
	phone (303) <u>355-3242</u>		phone (303) <u>721-7920</u>
	account no. <u>N 8270</u>		account no. <u>N 2025</u>

Well(s) (attach additional page if needed):

Name: <u>*SEE ATTACHED*</u>	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- N/A 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). *(see Btm Approval)*
- See 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). *(Rec'd 9-21-92)*
- N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) _____ If yes, show company file number: _____
- See 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
- See 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. *(9-23-92)*
- See 6. Cardex file has been updated for each well listed above. *(9-23-92)*
- See 7. Well file labels have been updated for each well listed above. *(9-23-92)*
- See 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. *(9-23-92)*
- See 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- Y 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (no) (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- N/A 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

- N/A 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
- N/A 2. A copy of this form has been placed in the new and former operators' bond files.
- Y 3. The former operator has requested a release of liability from their bond (yes/no) _____. Today's date _____ 19____. If yes, division response was made by letter dated _____ 19____.

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- Y 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated _____ 19____, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- N/A 2. Copies of documents have been sent to State Lands for changes involving State leases.

FILMING

- ____ 1. All attachments to this form have been microfilmed. Date: _____ 19____.

FILING

- Y 1. Copies of all attachments to this form have been filed in each well file.
- Y 2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

920923 Btm/moeb Approved operator change on 5-6-91.

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING
355 West North Temple, 3 Triad, Suite 350, Salt Lake City, UT 84180-1203

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

LEE ROBINSON
VALLEY OPERATING INC
745 GILPIN ST
DENVER CO 80218-3633

UTAH ACCOUNT NUMBER: N8270

REPORT PERIOD (MONTH/YEAR): 7 / 95

AMENDED REPORT ☐ (Highlight Changes)

Well Name					Producing Zone	Well Status	Days Oper	Production Volumes		
API Number	Entity	Location						OIL(BBL)	GAS(MCF)	WATER(BBL)
FEDERAL 14-1A					CM-MR					
4301930436	08150	20S	21E	14						
FEDERAL 14-2					DK-CM					
4301930487	08151	20S	21E	14						
FEDERAL 14-3					DK-MR					
4301930488	08152	20S	21E	14						
FEDERAL 14-4					MRSN					
4301930878	08153	20S	21E	14						
FEDERAL 15-2					DKTA					
4301930636	08154	20S	21E	15						
FEDERAL 15-3					MRSN					
4301930637	08155	20S	21E	15						
FEDERAL 22-1					CDMTN					
4301930625	08156	20S	21E	22						
FEDERAL 23-3					CM-MR					
4301930588	08157	20S	21E	23						
FEDERAL 23-4					CDMTN					
4301930760	08158	20S	21E	23						
FEDERAL 24-2					DK-MR					
4301930530	08159	20S	21E	24						
FEDERAL 14-1					DKTA					
4301930430	08169	20S	21E	14						
FEDERAL 25-3					MRSN					
4301930575	08170	20S	21E	25						
FEDERAL 25-4					MRSN					
4301930743	08181	20S	21E	25						
TOTALS										

REMARKS:

I hereby certify that this report is true and complete to the best of my knowledge. Date:

Name and Signature: Telephone Number:



August 18, 1995

Lisha Cordova
Utah Natural Resources
Oil, Gas & Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180

AUG 21 1995

Re: Sundry Notices for Change of Operator
Cisco Dome Field, Grand County, Utah

Dear Lisha:

Enclosed are Sundry Notices affecting wells located on U-2139A, U-2140A, U-12702, U-12702A, U-12702B, U37730 and ML-24295.

Sincerely,

A handwritten signature in cursive script, appearing to read "Beverly Gabbay".

Beverly Gabbay
Production Department

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

95 AUG - 2

5. Lease Designation and Serial No.

U-2140A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

See Exhibit "A" Attached

9. API Well No.

See Exhibit "A" Attached

10. Field and Pool, or Exploratory Area

Cisco Dome

11. County or Parish, State

Grand County, Utah

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Pease Operating Company, a wholly owned subsidiary of
Pease Oil and Gas Company

3. Address and Telephone No.

P. O. Box 1874, Grand Junction, CO 81502 (970) 245-5917

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

See Exhibit "A" attached.

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other Change of Operator

- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Effective January 1, 1995, Pease Operating Company became the operator of the wells listed on Exhibit "A" attached. Federal Bond No. 400 DX 0202.

AUG 21 1995

14. I hereby certify that the foregoing is true and correct

Signed William H. Pease

Title President

Date 7-31-95

(This space for Federal or State office use)

Associate District Manager

Approved by William H. Pease
Conditions of approval, if any:

Title

Date 8/10/95

COPIES OF APPROVAL ATTACHED

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

Pease Oil and Gas Company
Wells: SEE ATTACHED LIST
T. 20 S., R. 21 E.
Grand County, Utah
Lease U-02140A

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Pease Oil and Gas Company is considered to be the operator of the above wells and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for this well is provided by BLM bond No. UT0073 (Principal - Pease Oil and Gas Company) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

EXHIBIT "A" TO SUNDRY NOTICE
U-2140A

<u>WELL NAME</u>	<u>API NO.</u>	<u>1/4 1/4</u>	<u>SEC</u>	<u>TWP</u>	<u>RNG</u>
✓Fed 10-2	430193121000S1	NESW	10	20S	21E
✓Fed 11-1	430193048500S1	NWSW	11	20S	21E
✓Fed 11-2	430193088200S1	SESE	11	20S	22E
✓Fed 11-3	430193088400S1	SWSW	11	20S	21E
✓Fed 12-1	430193088100S1	SWSW	12	20S	21E
✓Fed 13-1	430193034800S1	SWSW	13	20S	21E
✓Fed 13-2	430193067300S1	SENW	13	20S	21E
✓Fed 13-3	430193088300S1	NWNE	13	20S	21E
✓Fed 13-4	430193088500S1	NWSE	13	20S	21E
✓Fed 14-1	430193043000S1	NWNW	14	20S	21E
✓Fed 14-1A	430193043600S1	NWNW	14	20S	21E
✓Fed 14-2	430193048700S1	NENE	14	20S	21E
✓Fed 15-1	430193058500S1	NESE	15	20S	21E
✓Fed 15-2 (15-2)	430193063600S1	NWNW	15	20S	21E
✓Fed 15-3	430193063700S1	NENE	15	20S	21E
✓Fed 15-4	430193088700S1	SWSW	15	20S	21E
✓Fed 1-10	430193048400S1	NWSW	10	20S	21E
✓Fed 22-1	430193062500S1	SENE	22	20S	21E

-END-

**EXHIBIT "A" TO SUNDRY NOTICE
U-2140A**

<u>WELL NAME</u>	<u>API NO.</u>	<u>1/4 1/4</u>	<u>SEC</u>	<u>TWP</u>	<u>RNG</u>
Fed 10-2	430193121000S1	NESW	10	20S	21E
Fed 11-1	430193048500S1	NWSW	11	20S	21E
Fed 11-2	430193088200S1	SESE	11	20S	22E
Fed 11-3	430193088400S1	SWSW	11	20S	21E
Fed 12-1	430193088100S1	SWSW	12	20S	21E
Fed 13-1	430193034800S1	SWSW	13	20S	21E
Fed 13-2	430193067300S1	SENE	13	20S	21E
Fed 13-3	430193088300S1	NWNE	13	20S	21E
Fed 13-4	430193088500S1	NWSE	13	20S	21E
Fed 14-1	430193043000S1	NWNW	14	20S	21E
Fed 14-1A	430193043600S1	NWNW	14	20S	21E
Fed 14-2	430193048700S1	NENE	14	20S	21E
Fed 15-1	430193058500S1	NESE	15	20S	21E
Fed 15-2	430193063600S1	NWNW	15	20S	21E
Fed 15-3	430193063700S1	NENE	15	20S	21E
Fed 15-4	430193088700S1	SWSW	15	20S	21E
Fed 1-10	430193048400S1	NWSW	10	20S	21E
Fed 22-1	430193062500S1	SENE	22	20S	21E


-END-

Valley Operating, Inc.

Office: (303) 355-3242 Fax: (303) 377-9798

745 Gilpin Street
Denver, Colorado 80218-3633

August 31, 1995



Re: Change of Operator Notices
- Acknowledgements -

State of Utah
Utah Division of Oil, Gas & Mining
3 Triad Center, Suite #350
Salt Lake City, Utah 84180-1204


Attn: Lisha

Dear Lisha:

Enclosed are the acknowledgements of the Change of Operator Notices for wells located in Grand County. Also included is the acknowledgement by the BLM of the Change of Operator status for the Antelope Unit in Uintah County.

Gerrity Oil & Gas is preparing State Sundry's for the two Antelope Unit wells. These will be signed by both Gerrity and Valley the week of September 4th and will be forwarded shortly thereafter. Thank you for your guidance in preparing these documents.

Very Truly Yours


F. Lee Robinson
Vice President

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

Routing:	
1-DEC 7-PL	✓
2-LWP 8-SJ	✓
3-DEC 9-FILE	✓
4-VLC	✓
5-RJF	✓
6-LWP	✓

- ☒ Change of Operator (well sold) ☐ Designation of Agent
☐ Designation of Operator ☐ Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 1-1-95)

TO (new operator) PEASE OIL & GAS COMPANY
 (address) PO BOX 1874
GRAND JUNCTION CO 81502
WILLARD PEASE
 phone (303) 245-5917
 account no. N 1080

FROM (former operator) VALLEY OPERATING INC
 (address) 745 GILPIN ST
DENVER CO 80218-3633
LEE ROBINSON
 phone (303) 289-7720
 account no. N8270

Well(s) (attach additional page if needed):

Name: **SEE ATTACHED**	API: <u>019-30637</u>	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- 1 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). (Rec'd 9-5-95)
- 2 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). (Rec'd 8-21-95)
- N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) _____ If yes, show company file number: _____
- 4 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of **Federal and Indian** well operator changes should take place prior to completion of steps 5 through 9 below.
- 5 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (8-30-95)
- 6 6. Cardex file has been updated for each well listed above. 9-6-95
- 7 7. Well file labels have been updated for each well listed above. 9-7-95
- 8 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. (8-30-95)
- 9 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- Y 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) ____ (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- N/A 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

- Y 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
- ____ 2. A copy of this form has been placed in the new and former operators' bond files.
- ____ 3. The former operator has requested a release of liability from their bond (yes/no) ____.
Today's date _____ 19____. If yes, division response was made by letter dated _____ 19____.

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- N/A 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated _____ 19____, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- N/A 2. Copies of documents have been sent to State Lands for changes involving State leases.

FILMING

- Y 1. All attachments to this form have been microfilmed. Date: September 12 1995.

FILING

- ____ 1. Copies of all attachments to this form have been filed in each well file.
- ____ 2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

ot use this form for proposals to drill or to deepen or reenter a different rese
Use "APPLICATION FOR PERMIT -" for such proposals

5. Lease Designation and Serial No.
U - 02140

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Cisco Dome 15-3

9. API Well No.
430193063700S1

10. Field and Pool, or Exploratory Area
Cisco Dome

11. County or Parish, State

Grand County, UT

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Pease Oil & Gas Company

3. Address and Telephone No.

P.O. Box 60219, Grand Junction, CO 970-245-5917

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

424 FNL, 846 FEL, Sec 15, T20S, R21E, SLB&M

12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice


TYPE OF ACTION

- ☐ Abandonment
☒ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

- 1) Set CIBP at 2490 w/1 sk cmt on top.
- 2) Perforate 2384 to 2388 w/ 8 holes; 2350 to 2356 w/ 12 holes.
- 3) Break down w/ 20 bbls diesel fuel.
- 4) Put well on production.



14. I hereby certify that the foregoing is true and correct

Signed

J. H. Burkhardt

Title VP, Engineering/Proc

Date 09/11/97

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instructions on Reverse Side

WO tax credit 3/98

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135

Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reenter a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

5. Lease Designation and Serial No.
U-2140A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

See Exhibit "A" Attached

9. API Well No.


See Exhibit "A" Attached

10. Field and Pool, or Exploratory Area
Cisco Dome

11. County or Parish, State

Grand County, Utah

SUBMIT IN TRIPLICATE



1. Type of Well

☐ Oil Well
☒ Gas Well
☐ Other

2. Name of Operator

Burkhalter Engineering, Inc.

3. Address and Telephone No.

P.O. Box 60095 Grand Junction, CO 81506 (970) 245-5917

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

See Exhibit "A" Attached

DIV. OF OIL, GAS & MINING

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other Change of Operator

- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion or other Completion or Recompletion Report and Log form)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Effective April 1, 1998, Burkhalter Engineering became the operator of the wells listed on Exhibit "A" attached. Burkhalter Engineering is responsible under the terms and conditions of the lease for operations conducted on the leased lands or portions thereof.

Bond coverage for this well will be provided by BLM Bond No. UT1097

Willard Pease Jr.
Pease Oil and Gas Company

14. I hereby certify that the foregoing is true and correct

Signed

Title

PMES

Date May 4, 1998

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instructions on Reverse Side

EXHIBIT "A" TO SUNDRY NOTICE
U-2140A

<u>WELL NAME & NO.</u>	<u>API NO.</u>	<u>1/4 1/4</u>	<u>SEC.</u>	<u>TWP.</u>	<u>RNG.</u>
Federal 10-2	43-019-31210	NESW	10	20S	21E
Federal 11-1	43-019-30485	NWSW	11	20S	21E
Federal 11-2	43-019-30882	SESE	11	20S	21E
Federal 11-3	43-019-30884	SWSW	11	20S	21E
Federal 12-1	43-019-30881	SWSW	12	20S	21E
Federal 13-1	43-019-30348	SWSW	13	20S	21E
Federal 13-2	43-019-30673	SENW	13	20S	21E
Federal 13-3	43-019-30883	NWNE	13	20S	21E
Federal 13-4	43-019-30885	NWSE	13	20S	21E
Federal 14-1	43-019-30430	NWNW	14	20S	21E
Federal 14-1A	43-019-30436	NWNW	14	20S	21E
Federal 14-2	43-019-30487	NENE	14	20S	21E
Federal 15-1	43-019-30585	NESE	15	20S	21E
Federal 15-2	43-019-30636	NWNW	15	20S	21E
Federal 15-3	43-019-30637	NENE	15	20S	21E
Federal 15-4	43-019-30887	SWSW	15	20S	21E
Federal 1-10	43-019-30484	NWSW	10	20S	21E
Federal 22-1	43-019-30625	SENE	22	20S	21E

-END-

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

1594 West North Temple, Suite 1210, PO Box 145801, Salt Lake City, UT 84114-5801

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS

PEASE OIL & GAS COMPANY
PO BOX 60219
GRAND JUNCTION, CO 81506

UTAH ACCOUNT NUMBER: N1080

REPORT PERIOD (MONTH/YEAR): 7 / 1999

AMENDED REPORT ☐ (Highlight Changes)

WELL NAME			Producing Zone	Well Status	Well Type	Days Oper	Production Volumes		
API Number	Entity	Location					OIL (BBL)	GAS (MCF)	WATER (BBL)
FEDERAL 13-2 4301930673	08147	20S 21E 13	MRSN		GW		U-2140A	apprv 12.16.99	eff 4.1.98
FEDERAL 13-3 4301930883	08148	20S 21E 13	MRSN		GW		U-2140A	apprv 12.16.99	eff 4.1.98
FEDERAL 13-4 4301930885	08149	20S 21E 13	MRSN		GW		U-2140A	apprv 12.16.99	eff 4.1.98
FEDERAL 14-1A 4301930436	08150	20S 21E 14	CM-MR		GW		U-2140A	apprv 12.16.99	eff 4.1.98
FEDERAL 14-2 4301930487	08151	20S 21E 14	DK-CM		GW		U-2140A	apprv 12.16.99	eff 4.1.98
FEDERAL 14-3 4301930488	08152	20S 21E 14	DK-MR		GW		U-2139A	apprv 12.16.99	eff 4.1.98
FEDERAL 14-4 4301930878	08153	20S 21E 14	MRSN		GW		U-2139A	apprv 12.16.99	eff 4.1.98
FEDERAL 15-2 4301930636	08154	20S 21E 15	DKTA		GW		U-2140A	apprv 12.16.99	eff 4.1.98
FEDERAL 15-3 4301930637	08155	20S 21E 15	MRSN		GW		U-2140A	apprv 12.16.99	eff 4.1.98
FEDERAL 22-1 4301930625	08156	20S 21E 22	CDMTN		GW		U-2140A	apprv 12.16.99	eff 4.1.98
FEDERAL 23-3 4301930588	08157	20S 21E 23	CM-MR		GW		U-2139A	apprv 12.16.99	eff 4.1.98
FEDERAL 23-4 4301930760	08158	20S 21E 23	CDMTN		GW		U-2139A	apprv 12.16.99	eff 4.1.98
FEDERAL 24-2 4301930530	08159	20S 21E 24	DK-MR		GW		U-2139A	apprv 12.16.99	eff 4.1.98

TOTALS

COMMENTS :

I hereby certify that this report is true and complete to the best of my knowledge.

Date: _____

Name and Signature: _____

Telephone Number: _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT DIVISION OF OIL, GAS & MINING

RECEIVED
DEC 22 1999

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reenter a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

5. Lease Designation and Serial No.

~~U-2140A~~ 002140A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

See Exhibit "A" Attached

9. API Well No.

See Exhibit "A" Attached

10. Field and Pool, or Exploratory Area

Cisco Dome

11. County or Parish, State

Grand County, Utah

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Burkhalter Engineering, Inc.

3. Address and Telephone No.

P.O. Box 60095 Grand Junction, CO 81506 (970) 245-5917

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

See Exhibit "A" Attached

12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other Change of Operator

- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Effective April 1, 1998, Burkhalter Engineering became the operator of the wells listed on Exhibit "A" attached. Burkhalter Engineering is responsible under the terms and conditions of the lease for operations conducted on the leased lands or portions thereof.

Bond coverage for this well will be provided by BLM Bond No. UT1097

Willard Pease Jr.
Willard Pease Jr.
Pease Oil and Gas Company

14. I hereby certify that the foregoing is true and correct

Signed

J. H. Burkhalter

Title

PMES

Date May 4, 1998

(This space for Federal or State office use)

Approved by

William H. Pease

Title

Assistant Field Manager,
Division of Resources

Date

12/16/99

Conditions of approval, if any:

cc: WDOG 12/16/99

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

***See Instructions on Reverse Side**

RECEIVED
OIL & GAS FIELD OFFICE
BUREAU OF LAND MANAGEMENT
DEC 25 PM 12:36

EXHIBIT "A" TO SUNDRY NOTICE
U-2140A

<u>WELL NAME & NO.</u>	<u>API NO.</u>	<u>1/4 1/4</u>	<u>SEC.</u>	<u>TWP.</u>	<u>RNG.</u>
Federal 10-2	43-019-31210	NESW	10	20S	21E
Federal 11-1	43-019-30485	NWSW	11	20S	21E
Federal 11-2	43-019-30882	SESE	11	20S	21E
Federal 11-3	43-019-30884	SWSW	11	20S	21E
Federal 12-1	43-019-30881	SWSW	12	20S	21E
Federal 13-1	43-019-30348	SWSW	13	20S	21E
Federal 13-2	43-019-30673	SENW	13	20S	21E
Federal 13-3	43-019-30883	NWNE	13	20S	21E
Federal 13-4	43-019-30885	NWSE	13	20S	21E
Federal 14-1	43-019-30430	NWNW	14	20S	21E
Federal 14-1A	43-019-30436	NWNW	14	20S	21E
Federal 14-2	43-019-30487	NENE	14	20S	21E
Federal 15-1	43-019-30585	NESE	15	20S	21E
Federal 15-2	43-019-30636	NWNW	15	20S	21E
Federal 15-3	43-019-30637	NENE	15	20S	21E
Federal 15-4	43-019-30887	SWSW	15	20S	21E
Federal 1-10	43-019-30484	NWSW	10	20S	21E
Federal 22-1	43-019-30625	SENE	22	20S	21E

-END-

Burkhalter Engineering, Inc.

All Wells on Lease UTU02140A

(1-10, 10-2, 11-1, 11-2, 11-3, 12-1, 13-1, 13-2, 13-3, 13-4,
14-1, 14-1A, 14-2, 15-1, 15-2, 15-3, 15-4 and 22-1)

Sections 10, 11, 12, 13, 14, 15 and 22, T. 20 S., R. 21 E.

Grand County, Utah

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Burkhalter Engineering, Inc. is considered to be the operator of the above wells and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UT1097 (Principal - Burkhalter Engineering, Inc.) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

OPERATOR CHANGE WORKSHEET

Attach all documentation received by the division regarding this change.

Initial each listed item when completed. Write N/A if item is not applicable.

Routing:

1. KDR ✓	
2. GLH ✓	7. KAS ✓
3. FRB ✓	8. SI
4. CDW ✓	9. FILE
5. KDR ✓	

☒ Change of Operator (well sold)☐ Designation of Agent☐ Designation of Operator☐ Operator Name Change OnlyThe operator of the well(s) listed below has changed, effective: 4-1-98

TO: (new operator) BURKHALTER ENGINEERING INC FROM: (old operator) PEASE OIL & GAS COMPANY
 (address) PO BOX 60095 (address) PO BOX 60219
GRAND JUNCTION CO 81506 GRAND JUNCTION CO 81506

Phone: (970)245-5917Phone: (970)245-5917Account no. N6820Account no. N1080

WELL(S) attach additional page if needed:

* CALF CANYON UNIT

Name: **SEE ATTACHED**	API: <u>4301930637</u>	Entity: _____	S <u>15</u>	T <u>205</u>	R <u>215</u>	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____

OPERATOR CHANGE DOCUMENTATION

- Y 1. (r649-8-10) Sundry or other legal documentation has been received from the **FORMER** operator (attach to this form). *(Rec'd 5-18-98)*
- Y 2. (r649-8-10) Sundry or other legal documentation has been received from the **NEW** operator (Attach to this form). *(Rec'd 5-18-98)*
- N/A 3. The **Department of Commerce** has been contacted if the new operator above is not currently operating any wells in Utah. Is the company **registered with the state?** (yes/no) ____ If yes, show company file number: _____
- KDR 4. **FOR INDIAN AND FEDERAL WELLS ONLY.** The BLM has been contacted regarding this change. Make note of BLM status in comments section of this form. BLM approval of **Federal** and **Indian** well operator changes should ordinarily take place prior to the division's approval, and before the completion of **steps 5 through 9** below. *(Rec'd 8.9.99) (Rec'd 12.22.99)*
- KDR 5. Changes have been entered in the **Oil and Gas Information System** (3270) for each well listed above. *(11.19.99) (12.30.99)*
- KDR 6. **Cardex** file has been updated for each well listed above.
- N/A 7. Well **file labels** have been updated for each well listed above.
- DR 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to Trust Lands, Sovereign Lands, UGS, Tax Commission, etc. *(10.29.99) (12.30.99)*
- DR 9. A folder has been set up for the **Operator Change file**, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- VDP 1. (r649-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no If entity assignments were changed, attach copies of Form 6, Entity Action Form.
- VDP 2. Trust Lands, Sovereign Lands, Tax Commission, etc., have been notified through normal procedures of entity changes.

BOND VERIFICATION - (FEE WELLS ONLY)

- N/A/yc 1. (r649-3-1) The NEW operator of any fee lease well listed above has furnished a proper bond.
- N/A/yc 2. A copy of this form has been placed in the new and former operator's bond files.
- N/A/yc 3. The FORMER operator has requested a release of liability from their bond (yes/no) no, as of today's date . If yes, division response was made to this request by letter dated .

LEASE INTEREST OWNER NOTIFICATION OF RESPONSIBILITY

- N/A/yc 1. Copies of documents have been sent on to at Trust Lands for changes involving State leases, in order to remind that agency of their responsibility to review for proper bonding.
- N/A/yc 2. (r649-2-10) The former operator of any fee lease wells listed above has been contacted and informed by letter dated 19 , of their responsibility to notify all interest owners of this change.

FILMING

- ✓ 1. All attachments to this form have been microfilmed. Today's date: 4.24.01

FILING

1. Copies of all attachments to this form have been filed in each well file.
2. The original of this form, and the original attachments are now being filed in the Operator Change file.

COMMENTS

990621 per Teresa Thompson w/ BLM, there hasn't been any paperwork filed on Calf Canyon Unit. No approval as of yet.

990809 rec'd Calf Canyon Unit approval.

990902 left message for Marie McNamee (BLM) for Fed. Wells

990902 Marie (BLM) called me back. Calf Canyon Unit wells have been approved, but not the federal ones yet. There is a problem, per Marie those approvals will take another week. She will send me a copy as soon as it is approved.

991119 called Marie McNamee (BLM; 435.259.2135) to find out if Fed. Wells app'd. She told me not yet, there is a bonding problem. Only Calf Canyon U wells have been approved.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Twin Arrow, Inc.

3. Address and Telephone No.

P.O. Box 948, Rangely, CO 81648 970-675-8226

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

See Exhibit "A" attached

5. Lease Designation and Serial No.

1102140A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

See Exhibit "A" attached

9. API Well No.

See Exhibit "A" attached

10. Field and Pool, or Exploratory Area

Cisco Dome

11. County or Parish, State

Grand County, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other CHANGE OF OPERATOR

- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion or Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Sept. 1, 2000 MB
Effective ~~July 1, 2000~~, Twin Arrow, Inc. became the operator of the wells listed on Exhibit "A" attached. Twin Arrow, Inc. is responsible under the terms and conditions of the lease for operations conducted on the leased lands or portions thereof.

Bond Coverage for this lease (wells) will be provided by BLM Bond No. UT1185

J. N. Burkhalter
J. N. Burkhalter/President
Burkhalter Engineering Inc.

14. I hereby certify that the foregoing is true and correct

Signed *Donald G. Jader* Title Office Manager Date 8/18/2000

(This space for Federal or State office use)

Assistant Field Manager,
Division of Resources

Approved by *William Hinger* Title Assistant Field Manager Date 9/26/2000

Conditions of approval, if any:

CONDITIONS OF APPROVAL ATTACHED

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statement or representations as to any matter within its jurisdiction.

cc: DOSM 9/27/00

*See Instruction on Reverse Side

**EXHIBIT "A" TO SUNDRY NOTICE
WELL LIST U-2140A**

<u>WELL NAME & NO.</u>	<u>API NO.</u>	<u>1/4 1/4</u>	<u>SEC</u>	<u>TWP</u>	<u>RNG.</u>
Federal 10-2	43-019-31210	NESW	10	20S	21E
Federal 11-1	43-019-30485	NWSW	11	20S	21E
Federal 11-2	43-019-30882	SESE	11	20S	21E
Federal 11-3	43-019-30884	SWSW	11	20S	21E
Federal 12-1	43-019-30881	SWSW	12	20S	21E
Federal 13-1	43-019-30348	SWSW	13	20S	21E
Federal 13-2	43-019-30673	SENW	13	20S	21E
Federal 13-3	43-019-30883	NWNE	13	20S	21E
Federal 13-4	43-019-30885	NWSE	13	20S	21E
Federal 14-1	43-019-30430	NWNW	14	20S	21E
Federal 14-1A	43-019-30436	NWNW	14	20S	21E
Federal 14-2	43-019-30487	NENE	14	20S	21E
Federal 15-1	43-019-30585	NESE	15	20S	21E
Federal 15-2	43-019-30636	NWNW	15	20S	21E
Federal 15-3	43-019-30637	NENE	15	20S	21E
Federal 15-4	43-019-30887	SWSW	15	20S	21E
Federal 1-10	43-019-30484	NWSW	10	20S	21E
Federal 22-1	43-019-30625	SENE	22	20S	21E

Twin Arrow Incorporated
Well Nos. 10-2, 11-1, 11-2, 11-3, 12-1, 13-1, 13-2, 13-14,
14-1, 14-1A, 14-2, 15-1, 15-2, 15-3, 15-4, 1-10, 22-1
Sections 10, 11, 12, 13, 14, 15 and 22 T. 20 S., R. 21 E.
Lease UTU02140A
Grand County, Utah

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Twin Arrow Incorporated is considered to be the operator of the above wells and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UT1185 (Principal -Twin Arrow Incorporated) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

OPERATOR CHANGE WORKSHEET**ROUTING**

1. GLH		4-KAS
2. CDW	✓	5- SP ✓
3. JLT		6-FILE

Enter date after each listed item is completed

X Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

Merger

The operator of the well(s) listed below has changed, effective:

09-01-2000**FROM:** (Old Operator):

BURKHALTER ENGINEERING INC.

Address: P. O. BOX 60095

GRAND JUNCTION, CO 81506

Phone: 1-(970)-243-6060

Account No. N6820

TO: (New Operator):

TWIN ARROW INC.

Address: P. O. BOX 948

RANGELY, CO 91648

Phone: 1-(970)-675-8226

Account N1415

CA No.**Unit:****WELL(S)**

NAME	API NO.	ENTITY NO.	SEC. TWN RNG	LEASE TYPE	WELL TYPE	WELL STATUS
FEDERAL 10-2	43-019-31210	8207	10-20S-21E	FEDERAL	GW	TA
FEDERAL 1-10	43-019-30484	8141	10-20S-21E	FEDERAL	GW	S
FEDERAL 11-1	43-019-30485	8142	11-20S-21E	FEDERAL	GW	S
FEDERAL 11-2	43-019-30882	8143	11-20S-21E	FEDERAL	GW	S
FEDERAL 11-3	43-019-30884	8144	11-20S-21E	FEDERAL	GW	S
FEDERAL 12-1	43-019-30881	8145	12-20S-21E	FEDERAL	GW	TA
FEDERAL 13-1	43-019-30348	8146	13-20S-21E	FEDERAL	GW	TA
FEDERAL 13-2	43-019-30673	8147	13-20S-21E	FEDERAL	GW	S
FEDERAL 13-3	43-019-30883	8148	13-20S-21E	FEDERAL	GW	TA
FEDERAL 13-4	43-019-30885	8149	13-20S-21E	FEDERAL	GW	TA
FEDERAL 14-1	43-019-30430	8169	14-20S-21E	FEDERAL	GW	S
FEDERAL 14-1A	43-019-30436	8150	14-20S-21E	FEDERAL	GW	TA
FEDERAL 14-2	43-019-30487	8151	14-20S-21E	FEDERAL	GW	S
FEDERAL 15-1	43-019-30585	11391	15-20S-21E	FEDERAL	GW	TA
FEDERAL 15-2	43-019-30636	8154	15-20S-21E	FEDERAL	GW	S
FEDERAL 15-3	43-019-30637	8155	15-20S-21E	FEDERAL	GW	S
FEDERAL 15-4	43-019-30887	10140	15-20S-21E	FEDERAL	GW	TA
FEDERAL 22-1	43-019-30625	8156	22-20S-21E	FEDERAL	GW	S

OPERATOR CHANGES DOCUMENTATION1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on:10/02/20002. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on:10/02/2000

3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 10/02/2000
4. Is the new operator registered in the State of Utah: YES Business Number: *APPLICATION HAS BEEN SUBMITTED TO DIV OF CORP.
5. If **NO**, the operator was contacted on: _____
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 09/26/2000
7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: N/A
8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A
9. **Underground Injection Control ("UIC") Pro;** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 10/10/2000
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 10/10/2000
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE BOND VERIFICATION:

1. State well(s) covered by Bond No.: _____

FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed has furnished a bond: YES
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A
3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 09/28/2000

FILMING:

1. All attachments to this form have been **MICROFILMED** on: 2, 26, 01

FILING:

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filled in each well file on: _____

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL ☒ GAS WELL ☒ OTHER _____

2. NAME OF OPERATOR:

Jelco Energy, Inc.

3. ADDRESS OF OPERATOR:

P.O. Box 948 CITY Rangely STATE CO ZIP 81648

PHONE NUMBER:

9706758226

4. LOCATION OF WELL

FOOTAGES AT SURFACE:

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

5. LEASE DESIGNATION AND SERIAL NUMBER:

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:

8. WELL NAME and NUMBER:

see attached list

9. API NUMBER:

10. FIELD AND POOL, OR WILDCAT:

COUNTY: Grand

STATE: UTAH

CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

see attached list

Until May 1, 2001 Twin Arrow, Inc. and Jelco Energy Inc. were the same company. We split Twin Arrow, Inc. and Jelco Energy apart so Jelco Energy could operate all the Utah wells and Twin Arrow will operate all the Colorado Wells.

NAME (PLEASE PRINT) Linda C. Gordon

TITLE Office Manager

SIGNATURE

DATE 6/1/2001

(This space for State use only)

(See Instructions on Reverse Side)

(5/2000)

RECEIVED

JUN 15 2001

DIVISION OF
OIL, GAS AND MINING

FED. LEASE #	API #	WELL NAME	SEC	QTR	TWP	RNG
UTU5675	430193039200	CALF CANYON #4	11	NWNW	20S	21E
UTU72600	430193039300	CALF CANYON #5	11	SENE	20S	21E
UTU72600	430193109400	FEDERAL #675-3	10	SWNW	20S	21E
UTU11620	430193119700	CALF CANYON #8	3	SESW	20S	21E
UTU70813A	430193029800	CALF CANYON #1	3	SWSE	20S	21E
UTU70813A	430193037600	FEDERAL 675-1	10	NENW	20S	21E
UTU70813A	430193116800	CALF CANYON #7	2	SESW	20S	21E
UTU70813A	430193118700	FEDERAL 675-4	10	NENW	20S	21E
UTU70813A	430193119900	FEDERAL 675-5	10	NWNW	20S	21E
UTU70813A	430193120300	CALF CANYON #10	3	SESE	20S	21E
UTU70813A	430193120800	FEDERAL 675-6	9	NENE	20S	21E
UTU70813A	430193120900	CALF CANYON #11	3	SWSW	20S	21E
UTU02139A	430193035500	FEDERAL 23-1	23	SWNE	20S	21E
UTU02139A	430193035900	FEDERAL 25-1	25	SWNE	20S	21E
UTU02139A	430193043200	FEDERAL 24-3	24	SWSE	20S	21E
UTU02139A	430193048800	FEDERAL 14-3	14	NESE	20S	21E
UTU02139A	430193053000	FEDERAL 24-2	24	NWNW	20S	21E
UTU02139A	430193057500	FEDERAL 25-3	25	SESE	20S	21E
UTU02139A	430193058600	FEDERAL 23-2	23	NWNW	20S	21E
UTU02139A	430193058700	FEDERAL 25-2	25	SWSW	20S	21E
UTU02139A	430193058800	FEDERAL 23-3	23	NESW	20S	21E
UTU02139A	430193074300	FEDERAL 25-4	25	NENW	20S	21E
UTU02139A	430193076000	FEDERAL 23-4	23	NWSE	20S	21E
UTU02139A	430193087800	FEDERAL 14-4	14	SWSW	20S	21E
UTU02139A	430193090000	FEDERAL 24-4	24	NWNE	20S	21E
UTU02140A	430193034800	FEDERAL 13-1	13	SWSW	20S	21E
UTU02140A	430193043000	FEDERAL 14-1	14	NWNW	20S	21E
UTU02140A	430193043600	FEDERAL 14-1A	14	NWNW	20S	21E
UTU02140A	430193048400	FEDERAL 10-1	10	NWSW	20S	21E
UTU02140A	430193048500	FEDERAL 11-1	11	NWSW	20S	21E
UTU02140A	430193048700	FEDERAL 14-2	14	NENE	20S	21E
UTU02140A	430193058500	FEDERAL 15-1	15	NESE	20S	21E
UTU02140A	430193062500	FEDERAL 22-1	22	SENE	20S	21E
UTU02140A	430193063600	FEDERAL 15-2	15	NWNW	20S	21E
UTU02140A	430193063700	FEDERAL 15-3	15	NENE	20S	21E
UTU02140A	430193067300	FEDERAL 13-2	13	SENE	20S	21E
UTU02140A	430193088100	FEDERAL 12-1	12	SWSW	20S	21E
UTU02140A	430193088200	FEDERAL 11-2	11	SESE	20S	21E
UTU02140A	430193088300	FEDERAL 13-3	13	NWNE	20S	21E
UTU02140A	430193088400	FEDERAL 11-3	11	SWSW	20S	21E
UTU02140A	430193088500	FEDERAL 13-4	13	NWSE	20S	21E
UTU02140A	430193088700	FEDERAL 15-4	15	SWSW	20S	21E
UTU02140A	430193121000	FEDERAL 10-2	10	NESW	20S	21E
UTU12702	430193042900	FEDERAL 30-1	30	SWNW	20S	22E
UTU12702A	430193030200	FEDERAL 19-3	19	SWSW	20S	22E
UTU12702A	430193030800	FEDERAL 31-1A	31	NENW	20S	22E
UTU12702A	430193030800	FEDERAL 31-1A	31	NENW	20S	22E
UTU12702A	430193089600	FEDERAL 19-1A	19	SWNW	20S	22E
UTU37730	430193087500	FEDERAL 18-1	18	NESW	20S	22E
STATE WELL ML-24295	430193034700	STATE 32-1	32	W 1/2	20S	22E

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

RECEIVED
MOAB FIELD OFFICE
MAY 24 P 3:12

SUBMIT IN TRIPLICATE

DEPT OF THE INTERIOR
BUREAU OF LAND MGMT

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Jelco Energy Inc.

3. Address and Telephone No.

P.O. Box 948, Rangely, CO 81648 970-675-8226

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

See Exhibit "A" attached

5. Lease Designation and Serial No.
U-12702A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

See Exhibit "A" attached

9. API Well No.

See Exhibit "A" attached

10. Field and Pool, or Exploratory Area
Cisco Dome

11. County or Parish, State

Grand County, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other Change of Operator

- ☐ Change of Title
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Effective May 23, 2001, Jelco Energy Inc. became the operator of the wells listed on Exhibit "A" attached. Jelco Energy Inc. is responsible under the terms and conditions of the lease for operations conducted on the leased lands or portions thereof.

Bond Coverage for this lease (wells) will be provided by BLM Bond No. UT1185

14. I hereby certify that the foregoing is true and correct

Signed

Title Office Manager

Date 5/23/2001

(This space for Federal or State office use)

Approved by

Title

Assistant Field Manager,
Division of Resources

Date

5/25/01

Conditions of approval, if any:

CONDITIONS OF APPROVAL ATTACHED

Jelco Energy, Inc.
Well Nos. 19-1A, 19-3 and 31-1A
Sections 19 and 31 T. 20 S., R. 22 E.
Lease UTU12702A
Grand County, Utah

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Jelco Energy, Inc. is considered to be the operator of the above wells and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UT1185 (Principal - Jelco Energy, Inc.) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

EXHIBIT "A" TO SUNDRY NOTICE
WELL LIST U-2139A

<u>WELL NAME & NO.</u>	<u>API NO.</u>	<u>1/4 1/4</u>	<u>SEC</u>	<u>TWP</u>	<u>RNG.</u>
Federal 14-3	43-019-30488	NESE	14	20S	21E
Federal 14-4	43-019-30878	SWSW	14	20S	21E
Federal 23-1	43-019-30355	SWNE	23	20S	21E
Federal 23-2	43-019-30586	NWNW	23	20S	21E
Federal 23-3	43-019-30588	NESW	23	20S	21E
Federal 23-4	43-019-30760	NWSE	23	20S	21E
Federal 24-2	43-019-30530	NWNW	24	20S	21E
Federal 24-3	43-019-30432	SWSE	24	20S	21E
Federal 24-4	43-019-30900	NWNE	24	20S	21E
Federal 25-1	43-019-30359	SWNE	25	20S	21E
Federal 25-2	43-019-30587	SWSW	25	20S	21E
Federal 25-3	43-019-30575	SESE	25	20S	21E
Federal 25-4	43-019-30743	NENW	25	20S	21E

EXHIBIT "A" TO SUNDRY NOTICE
U-12702A

<u>WELL NAME & NO.</u>	<u>API NO.</u>	<u>1/4 1/4</u>	<u>SEC.</u>	<u>TWP.</u>	<u>RNG.</u>
Federal 19-1A	43-019-30896	SWNW	19	20S	22E
Federal 19-3	43-019-30302	SWSW	19	20S	22E
Federal 31-1A	43-019-30308	NENW	31	20S	22E

EXHIBIT "A" TO SUNDRY NOTICE
WELL LIST U-2140A

<u>WELL NAME & NO.</u>	<u>API NO.</u>	<u>1/4 1/4</u>	<u>SEC</u>	<u>TWP</u>	<u>RNG.</u>
Federal 10-2 ✓	43-019-31210	NESW	10	20S	21E
Federal 11-1 ✓	43-019-30485	NWSW	11	20S	21E
Federal 11-2 ✓	43-019-30882	SESE	11	20S	21E
Federal 11-3 ✓	43-019-30884	SWSW	11	20S	21E
Federal 12-1 ✓	43-019-30881	SWSW	12	20S	21E
Federal 13-1 ✓	43-019-30348	SWSW	13	20S	21E
Federal 13-2 ✓	43-019-30673	SENE	13	20S	21E
Federal 13-3 ✓	43-019-30883	NWNE	13	20S	21E
Federal 13-4 ✓	43-019-30885	NWSE	13	20S	21E
Federal 14-1 ✓	43-019-30430	NWNW	14	20S	21E
Federal 14-1A ✓	43-019-30436	NWNW	14	20S	21E
Federal 14-2 ✓	43-019-30487	NENE	14	20S	21E
Federal 15-1 ✓	43-019-30585	NESE	15	20S	21E
Federal 15-2 ✓	43-019-30636	NWNW	15	20S	21E
Federal 15-3 ✓	43-019-30637	NENE	15	20S	21E
Federal 15-4 ✓	43-019-30887	SWSW	15	20S	21E
Federal 1-10 ✓	43-019-30484	NWSW	10	20S	21E
Federal 22-1 ✓	43-019-30625	SENE	22	20S	21E

OPERATOR CHANGE WORKSHEET**ROUTING**

1. GLH		4-KAS
2. CDW	<input checked="" type="checkbox"/>	5-LR <i>pk</i>
3. JLT		6-FILE

Enter date after each listed item is completed

Change of Operator (Well Sold)

Designation of Agent

X Operator Name Change (Only)

Merger

The operator of the well(s) listed below has changed, effective: **05-23-2001**

FROM: (Old Operator):
TWIN ARROW INC
Address: P. O BOX 948
RANGELY, CO 81648
Phone: 1-(970)-675-8226
Account N1415

TO: (New Operator):
JELCO ENERGY INC
Address: P. O . BOX 948
RANGELY, CO 81648
Phone: 1-(970)-675-8226
Account N1825

CA No.

Unit:

WELL(S)

NAME	API NO	ENTITY NO	SEC TWN RNG	LEASE TYPE	WELL TYPE	WELL STATUS
FEDERAL 10-2	43-019-31210	8207	10-20S-21E	FEDERAL	GW	TA
FEDERAL 11-2	43-019-30882	8143	11-20S-21E	FEDERAL	GW	S
FEDERAL 11-3	43-019-30884	8144	11-20S-21E	FEDERAL	GW	P
FEDERAL 12-1	43-019-30881	8145	12-20S-21E	FEDERAL	GW	TA
FEDERAL 13-2	43-019-30673	8147	13-20S-21E	FEDERAL	GW	P
FEDERAL 13-3	43-019-30883	8148	13-20S-21E	FEDERAL	GW	TA
FEDERAL 13-4	43-019-30885	8149	13-20S-21E	FEDERAL	GW	TA
FEDERAL 15-2	43-019-30636	8154	15-20S-21E	FEDERAL	GW	S
FEDERAL 15-3	43-019-30637	8155	15-20S-21E	FEDERAL	GW	P
FEDERAL 15-4	43-019-30887	10140	15-20S-21E	FEDERAL	GW	TA
FEDERAL 22-1	43-019-30625	8156	22-20S-21E	FEDERAL	GW	P
FEDERAL 19-1A	43-019-30896	8201	19-20S-22E	FEDERAL	GW	TA
FEDERAL 19-3	43-019-30302	8201	19-20S-22E	FEDERAL	GW	TA
FEDERAL 31-1A	43-019-30308	8204	31-20S-22E	FEDERAL	GW	P

OPERATOR CHANGES DOCUMENTATION

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 06/15/2001
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 06/15/2001
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 06/18/2001

4. Is the new operator registered in the State of Utah: YES Business Number: 4825833-0143
5. If **NO**, the operator was contacted on: N/A
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 05/24/2001
7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: N/A
8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A
9. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 06/19/2001
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 06/19/2001
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE BOND VERIFICATION:

1. State well(s) covered by Bond No.: N/A

FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed has furnished a bond: N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A
3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

FILMING:

1. All attachments to this form have been **MICROFILMED** on: 7.12.01

FILING:

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filled in each well file on: _____

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMH No. 1004-0135
Expires November 30, 2000

5. Lease Serial No. UTU 02140A
6. If Indian, Allottee or Tribe Name
7. If Unit or CA/Agreement, Name and/or No.
8. Well Name and No. See attached list
9. API Well No. See attached list
10. Field and Pool, or Exploratory Area Greater Cisco
11. County or Parish, State Grand County, UT

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
☐ Oil Well ☐ Gas Well ☐ Other
2. Name of Operator ABS Energy LLC N2475
3a. Address P.O. Box 736, Rangely, CO 81648
3b. Phone No. (include area code) 970-675-5212
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
See attached list

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <u>CHANGE OF OPERATOR</u>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/DIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Effective January 1, 2003, ABS Energy LLC is the new operator. ABS Energy LLC is responsible under the terms and conditions of the lease for operations conducted on the lease lands or portions thereof.

Bond Coverage for these wells will be provided by BLM Bond No. UTB 000034

Linda Gordon
Jelco Energy/Linda C. Gordon N1825

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Linda C. Gordon

Title Office Manager/ABS Energy LLC

Signature

Date

June 4, 2003

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

ACCEPTED

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title Division of Resources
Moab Field Office

Date

JUN 9 2003

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

cc udoam

Conditions Attached **RECEIVED**

JUN 30 2003

FED. LEASE #	API #	WELL NAME	SEC	QTR	TWP	RNG
UTU02140A	430193034800	FEDERAL 13-1	13	SWSW	20S	21E
UTU02140A	430193043000	FEDERAL 14-1	14	NWNW	20S	21E
UTU02140A	430193043600	FEDERAL 14-1A	14	NWNW	20S	21E
UTU02140A	430193048400	FEDERAL 10-1	10	NWSW	20S	21E
UTU02140A	430193048500	FEDERAL 11-1	11	NWSW	20S	21E
UTU02140A	430193048700	FEDERAL 14-2	14	NENE	20S	21E
UTU02140A	430193058500	FEDERAL 15-1	15	NESE	20S	21E
UTU02140A	430193062500	FEDERAL 22-1	22	SENE	20S	21E
UTU02140A	430193063600	FEDERAL 15-2	15	NWNW	20S	21E
UTU02140A	430193063700	FEDERAL 15-3	15	NENE	20S	21E
UTU02140A	430193067300	FEDERAL 13-2	13	SENE	20S	21E
UTU02140A	430193088100	FEDERAL 12-1	12	SWSW	20S	21E
UTU02140A	430193088200	FEDERAL 11-2	11	SESE	20S	21E
UTU02140A	430193088300	FEDERAL 13-3	13	NWNE	20S	21E
UTU02140A	430193088400	FEDERAL 11-3	11	SWSW	20S	21E
UTU02140A	430193088500	FEDERAL 13-4	13	NWSE	20S	21E
UTU02140A	430193088700	FEDERAL 15-4	15	SWSW	20S	21E
UTU02140A	430193121000	FEDERAL 10-2	10	NESW	20S	21E

RECEIVED

JUN 30 2003

DIV. OF OIL, GAS & MINING

ABS Energy, LLC
All Wells on Lease
Sections 10 - 15, 22, T. 20 S., R. 21 E.
Lease UTU02140A
Grand County, Utah

CONDITIONS OF ACCEPTANCE

Acceptance of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that ABS Energy, LLC is considered to be the operator of the above wells effective January 1, 2003, and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UTB000034 (Principal – ABS Energy, LLC) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43CFR 3106.7-2 continuing responsibility are met.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS


Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.


1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER:
2. NAME OF OPERATOR: Jelco Energy (formerly Twin Arrow Inc.)		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: P.O. Box 948, Rangely, CO 81648		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: see attached list		8. WELL NAME and NUMBER: see attached list
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER:
COUNTY: Grand		10. FIELD AND POOL, OR WILDCAT:
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 1, 2003, Jelco Energy sold all its interest and ownership in the wells listed of the attached list. The new owner and operator is ABS Energy LLC, P.O. Box 736, Rangely, CO 81648. Jelco Energy relinquishes ownership of all operating rights to ABS Energy LLC.


New Operator/ABS Energy LLC.
P.O. Box 736
Rangely, CO 81648
Fax 970-675-8558
Office 970-629-1116
ABS Energy LLC BLM Bond UTB000034

NAME (PLEASE PRINT) <u>Linda C. Gordon</u>	TITLE <u>Office Mgr</u>
SIGNATURE 	DATE <u>7/2/03</u>

(This space for State use only)

RECEIVED

JUL 08 2003

DIV. OF OIL, GAS & MINING

WELL NAMES, ENTITY #'S AND WELL ID

WELL NAME	ENTITY #	API #	WELL TYPE	LEGAL DESCRIPTION	LEASE TYPE	STATUS
FEDERAL 14-1A	08150	4301930436	GAS	T20S,R21E, SEC 14	FEDERAL	TA
FEDERAL 1-10	08141	4301930484	GAS	T20S,R21E, SEC 10	FEDERAL	S
FEDERAL 10-2	08207	4301931210	GAS	T20S,R21E, SEC 10	FEDERAL	TA
FEDERAL 11-1	08142	4301930485	GAS	T20S,R21E, SEC 11	FEDERAL	P
FEDERAL 11-2	08143	4301930882	GAS	T20S,R21E, SEC 11	FEDERAL	S
FEDERAL 11-3	08144	4301930884	GAS	T20S,R21E, SEC 11	FEDERAL	P
FEDERAL 12-1	08145	4301930881	GAS	T20S,R21E, SEC 12	FEDERAL	TA
FEDERAL 13-1	08146	4301930348	GAS	T20S,R21E, SEC 13	FEDERAL	TA
FEDERAL 13-2	08147	4301930673	GAS	T20S,R21E, SEC 13	FEDERAL	P
FEDERAL 13-3	08148	4301930883	GAS	T20S,R21E, SEC 13	FEDERAL	TA
FEDERAL 13-4	08149	4301930885	GAS	T20S,R21E, SEC 13	FEDERAL	TA
FEDERAL 14-1	08169	4301930430	GAS	T20S,R21E, SEC 14	FEDERAL	P
FEDERAL 14-2	08151	4301930487	GAS	T20S,R21E, SEC 14	FEDERAL	P
FEDERAL 14-3	08152	4301930488	GAS	T20S,R21E, SEC 14	FEDERAL	P
FEDERAL 14-4	08153	4301930878	GAS	T20S,R21E, SEC 14	FEDERAL	S
FEDERAL 15-1	11391	4301930585	GAS	T20S,R21E, SEC 15	FEDERAL	TA
FEDERAL 15-2	08154	4301930636	GAS	T20S,R21E, SEC 15	FEDERAL	S
FEDERAL 15-3	08155	4301930637	GAS	T20S,R21E, SEC 15	FEDERAL	P
FEDERAL 15-4	10140	4301930887	GAS	T20S,R21E, SEC 15	FEDERAL	TA
FEDERAL 18-1	08200	4301930875	GAS	T20S,R22E, SEC 18	FEDERAL	S
FEDERAL 19-1A	08201	4301930896	GAS	T20S,R22E, SEC 19	FEDERAL	TA
FEDERAL 19-3	08201	4301930302	GAS	T20S,R22E, SEC 19	FEDERAL	TA
FEDERAL 22-1	08156	4301930625	GAS	T20S,R21E, SEC 22	FEDERAL	P
FEDERAL 23-1	11393	4301930355	GAS	T20S,R21E, SEC 23	FEDERAL	P
FEDERAL 23-2	08140	4301930586	GAS	T20S,R21E, SEC 23	FEDERAL	S
FEDERAL 23-3	08157	4301930588	GAS	T20S,R21E, SEC 23	FEDERAL	P
FEDERAL 23-4	08158	4301930760	GAS	T20S,R21E, SEC 23	FEDERAL	P
FEDERAL 24-2	08159	4301930530	GAS	T20S,R21E, SEC 24	FEDERAL	P
FEDERAL 24-3	11395	4301930432	GAS	T20S,R21E, SEC 24	FEDERAL	P
FEDERAL 24-4	08208	4301930900	GAS	T20S,R21E, SEC 24	FEDERAL	TA
FEDERAL 25-1	11394	4301930359	OIL	T20S,R21E, SEC 25	FEDERAL	S
FEDERAL 25-2	11392	4301930587	OIL	T20S,R21E, SEC 25	FEDERAL	S
FEDERAL 25-3	08171	4301930575	GAS	T20S,R21E, SEC 25	FEDERAL	S
FEDERAL 25-4	08181	4301930743	GAS	T20S,R21E, SEC 25	FEDERAL	P
FEDERAL 30-1	08203	4301930429	GAS	T20S,R22E, SEC 30	FEDERAL	S
FEDERAL 31-1A	08204	4301930308	GAS	T20S,R22E, SEC 31	FEDERAL	P
STATE 32-1	08206	4301930347	GAS	T20S,R22E, SEC 32	STATE	P
CC #1	11666	4301930298	OIL	T20S,R21E, SEC 3	FEDERAL	P
CC #4	02515	4301930392	OIL	T20S,R21E, SEC 11	FEDERAL	S
CC #5	02490	4301930393	OIL	T20S,R21E, SEC 11	FEDERAL	TA
CC #8	09820	4301931197	OIL	T20S,R21E, SEC 3	FEDERAL	S
QC #10	11666	4301931203	OIL	T20S,R21E, SEC 3	FEDERAL	S
FEDERAL 675-1*	11666	4301930376	OIL	T20S,R21E, SEC 10	FEDERAL	P
FEDERAL 675-3	00303	4301931094	OIL	T20S,R21E, SEC 10	FEDERAL	S
FEDERAL 675-4*	11666	4301931187	OIL	T20S,R21E, SEC 10	FEDERAL	P
FEDERAL 675-5*	11666	4301931199	OIL	T20S,R21E, SEC 10	FEDERAL	S
FEDERAL 675-6*	11666	4301931208	OIL	T20S,R21E, SEC 9	FEDERAL	S

lease in print

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH

2. CDW

3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:

1/1/2003**FROM: (Old Operator):**N1825-Jelco Energy, Inc.
PO Box 948
Rangely, CO 81648

Phone: (970) 629-1116

TO: (New Operator):N2475-ABS Energy, LLC
PO Box 736
Rangely, CO 81648

Phone: (970) 629-1116

CA No.

Unit:

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
FEDERAL 1-10	10	200S	210E	4301930484	8141	FEDERAL	GW	S
FEDERAL 10-2	10	200S	210E	4301931210	8207	FEDERAL	GW	TA
FEDERAL 11-1	11	200S	210E	4301930485	8142	FEDERAL	GW	P
FEDERAL 11-2	11	200S	210E	4301930882	8143	FEDERAL	GW	S
FEDERAL 11-3	11	200S	210E	4301930884	8144	FEDERAL	GW	P
FEDERAL 12-1	12	200S	210E	4301930881	8145	FEDERAL	GW	P
FEDERAL 13-1	13	200S	210E	4301930348	8146	FEDERAL	GW	TA
FEDERAL 13-2	13	200S	210E	4301930673	8147	FEDERAL	GW	P
FEDERAL 13-3	13	200S	210E	4301930883	8148	FEDERAL	GW	TA
FEDERAL 13-4	13	200S	210E	4301930885	8149	FEDERAL	GW	TA
FEDERAL 14-1	14	200S	210E	4301930430	8169	FEDERAL	GW	P
FEDERAL 14-1A	14	200S	210E	4301930436	8150	FEDERAL	GW	TA
FEDERAL 14-2	14	200S	210E	4301930487	8151	FEDERAL	GW	P
FEDERAL 15-1	15	200S	210E	4301930585	11391	FEDERAL	GW	TA
FEDERAL 15-2	15	200S	210E	4301930636	8154	FEDERAL	GW	S
FEDERAL 15-3	15	200S	210E	4301930637	8155	FEDERAL	GW	P
FEDERAL 15-4	15	200S	210E	4301930887	10140	FEDERAL	GW	TA
FEDERAL 22-1	22	200S	210E	4301930625	8156	FEDERAL	GW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 7/8/20032. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 7/8/20033. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 8/7/20034. Is the new operator registered in the State of Utah: YES Business Number: 5333071-01615. If **NO**, the operator was contacted on: _____

6. (R649-9-2) Waste Management Plan has been received on:

IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 6/9/2003

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: n/a

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 8/7/2003

2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 8/7/2003

3. Bond information entered in RBDMS on: n/a

4. Fee wells attached to bond in RBDMS on: n/a

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: n/a

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: B000034

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: n/a

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number n/a

2. The **FORMER** operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER:
2. NAME OF OPERATOR: Elk Production, LLC		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 770 S. Post Oak Lane #320 CITY Houston STATE TX ZIP 77056		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: See attached list		8. WELL NAME and NUMBER:
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____		9. API NUMBER:
STATE: UTAH		10. FIELD AND POOL, OR WILDCAT:

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Change of operator from ABS Energy, LLC to Elk Production LLC.


Old Operator: ABS Energy, LLC

N 2475

By: 
Andy Saied, Managing Member

PO Box 307
Farmington, NM 87499

New Operator: ELK PRODUCTION, LLC

NAME (PLEASE PRINT) Richard P. Crist	TITLE Executive Vice President
SIGNATURE 	DATE 8/12/04

(This space for State use only)

RECEIVED
AUG 17 2004

ATTACHMENT TO SUNDRY NOTICE

**Transfer from ABS Energy, LLC to Elk Production, LLC
Effective July 22, 2004**

<u>Well Name</u>	<u>API #</u>	<u>Location</u>
State 32-1	43-019-30347	SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 32, T 20 S, R 22 E
Federal 31-1A	43-019-30308	NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 31, T 20 S, R 22 E
Federal 30-1	43-019-30429	SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 30, T 20 S, R 22 E
Federal 25-1	43-019-30359	SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 25, T 20 S, R 21 E
Federal 25-2	43-019-30587	SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 25, T 20 S, R 21 E
Federal 25-3	43-019-30575	SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 25, T 20 S, R 21 E
Federal 25-4	43-019-30743	NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 25, T 20 S, R 21 E
Federal 24-4	43-019-30900	NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 24, T 20 S, R 21 E
Federal 24-2	43-019-30530	NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 24, T 20 S, R 21 E
Federal 24-3	43-019-30432	SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 24, T 20 S, R 21 E
Federal 23-1	43-019-30355	SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 23, T 20 S, R 21 E
Federal 23-3	43-019-30588	NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 23, T 20 S, R 21 E
Federal 23-4	43-019-30760	NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 23, T 20 S, R 21 E
Federal 23-2	43-019-30586	NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 23, T 20 S, R 21 E
Federal 22-1	43-019-30625	SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 22, T 20 S, R 21 E
Federal 19-3	43-019-30302	SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 19, T 20 S, R 22 E
Federal 19-1A	43-019-30896	SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 19, T 20 S, R 22 E
Federal 18-1	43-019-30875	NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, T 20 S, R 22 E

<u>Well Name</u>	<u>API #</u>	<u>Location</u>
Federal 15-2	43-019-30636	NW¼NW¼, Sec. 15, T 20 S, R 21 E
Federal 15-1	43-019-30585	NE¼SE¼, Sec. 15, T 20 S, R 21 E
Federal 15-3	43-019-30637	NE¼NE¼, Sec. 15, T 20 S, R 21 E
Federal 15-4	43-019-30887	SW¼SW¼, Sec. 15, T 20 S, R 21 E
Federal 14-3	43-019-30488	NE¼SE¼, Sec. 14, T 20 S, R 21 E
Federal 14-1A	43-019-30436	NW¼NW¼, Sec. 14, T 20 S, R 12 E
Federal 14-2	43-019-30487	NE¼NE¼, Sec. 14, T 20 S, R 21 E
Federal 14-1	43-019-30430	NW¼NW¼, Sec. 14, T 20 S, R 21 E
Federal 14-4	43-019-30878	SW¼SW¼, Sec. 14, T 20 S, R 21 E
Federal 13-2	43-019-30673	SE¼NW¼, Sec. 13, T 20 S, R 21 E
Federal 13-4	43-019-30885	NW¼SE¼, Sec. 13, T 20 S, R 21 E
Federal 13-1	43-019-30348	SW¼SW¼, Sec. 13, T 20 S, R 21 E
Federal 13-3	43-019-30883	NW¼NE¼, Sec. 13, T 20 S, R 21 E
Federal 12-1	43-019-30881	SW¼SW¼, Sec. 12, T 20 S, R 21 E
Calf Canyon 4	43-019-30392	NW¼NW¼, Sec. 11, T 20 S, R 21 E
Federal 11-3	43-019-30884	SW¼SW¼, Sec. 11, T 20 S, R 21 E
Calf Canyon 5	43-019-30393	SE¼NE¼, Sec. 11, T 20 S, R 21 E
Federal 11-1	43-019-30485	NW¼SW¼, Sec. 11, T 20 S, R 21 E
Federal 11-2	43-019-30882	SE¼SE¼, Sec. 11, T 20 S, R 21 E
Federal 675 5	43-019-31199	NW¼NW¼, Sec. 10, T 20 S, R 21 E
Federal 1-10	43-019-30484	NW¼SW¼, Sec. 10, T 20 S, R 21 E

<u>Well Name</u>	<u>API #</u>	<u>Location</u>
Federal 675 4	43-019-31187	NE ¹ / ₄ NW ¹ / ₄ , Sec. 10, T 20 S, R 21 E
Fed 3-675	43-019-31094	SW ¹ / ₄ NW ¹ / ₄ , Sec. 10, T 20 S, R 21 E
Federal 675-1	43-019-30376	NE ¹ / ₄ NW ¹ / ₄ , Sec. 10, T 20 S, R 21 E
Federal 10-2	43-019-31210	NE ¹ / ₄ SW ¹ / ₄ , Sec. 10, T 20 S, R 21 E
Federal 675-6	43-019-31208	NE ¹ / ₄ NE ¹ / ₄ , Sec. 9, T 20 S, R 21 E
Calf Canyon 1	43-019-30298	SW ¹ / ₄ SE ¹ / ₄ , Sec. 3, T 20 S, R 21 E
Calf Canyon 8	43-019-31197	SE ¹ / ₄ SW ¹ / ₄ , Sec. 3, T 20 S, R 21 E
Calf Canyon Fed 10	43-019-31203	SE ¹ / ₄ SE ¹ / ₄ , Sec. 3, T 20 S, R 21 E
Calf Cyn 7	43-019-31168	SE ¹ / ₄ SW ¹ / ₄ , Sec. 3, T 20 S, R 21 E
Calf Canyon 11	43-019-31209	SW ¹ / ₄ SW ¹ / ₄ , Sec. 2, T 20 S, R 21 E

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH

2. CDW

3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:

7/22/2004

FROM: (Old Operator):
 N2475-ABS Energy, LLC
 PO Box 307
 Farmington, NM 87499
 Phone: 1-(

TO: (New Operator):
 N2650-Elk Production, LLC
 770 S Post Oak Lane, Suite 320
 Houston, TX 77056
 Phone: 1-(713) 751-9500

CA No.

Unit:

WELL(S)

NAME	SEC TWN RNG			API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
FED 3-675	10	200S	210E	4301931094	303	Fed	GW	S
FEDERAL 10-2	10	200S	210E	4301931210	8207	Fed	GW	TA
FEDERAL 11-2	11	200S	210E	4301930882	8143	Fed	GW	S
FEDERAL 11-3	11	200S	210E	4301930884	8144	Fed	GW	P
FEDERAL 12-1	12	200S	210E	4301930881	8145	Fed	GW	P
FEDERAL 13-2	13	200S	210E	4301930673	8147	Fed	GW	P
FEDERAL 13-3	13	200S	210E	4301930883	8148	Fed	GW	TA
FEDERAL 13-4	13	200S	210E	4301930885	8149	Fed	GW	TA
FEDERAL 14-4	14	200S	210E	4301930878	8153	Fed	GW	S
FEDERAL 15-2	15	200S	210E	4301930636	8154	Fed	GW	P
FEDERAL 15-3	15	200S	210E	4301930637	8155	Fed	GW	S
FEDERAL 15-4	15	200S	210E	4301930887	10140	Fed	GW	TA
FEDERAL 22-1	22	200S	210E	4301930625	8156	Fed	GW	P
FEDERAL 23-4	23	200S	210E	4301930760	8158	Fed	GW	P
FEDERAL 24-4	24	200S	210E	4301930900	8208	Fed	GW	TA
FEDERAL 25-4	25	200S	210E	4301930743	8181	Fed	GW	P
FEDERAL 18-1	18	200S	220E	4301930875	8200	Fed	GW	S
FEDERAL 19-1A	19	200S	220E	4301930896	8201	Fed	GW	TA

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 8/17/20042. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 8/17/20043. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 7/27/20044. Is the new operator registered in the State of Utah: YES Business Number: 5693065-01615. If **NO**, the operator was contacted on:6a. (R649-9-2) Waste Management Plan has been received on: to follow6b. Inspections of LA PA state/fee well sites requested on: 8/31/2004

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM applied for BIA

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: n/a

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 8/31/2004
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 8/31/2004
3. Bond information entered in RBDMS on: 8/31/2004
4. Fee/State wells attached to bond in RBDMS on: 8/31/2004
5. Injection Projects to new operator in RBDMS on: n/a
6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: B000963

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: n/a

FEE & STATE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number B000969
2. The FORMER operator has requested a release of liability from their bond on: TLA held
The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 9/1/2004

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.1. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other2. Name of Operator **Elk Production, LLC**3a. Address
770 S. Post Oak Lane #320, Houston, TX 770563b. Phone No. (include area code)
(713)751-9504. Location of Well (Footage, Sec., T., R., M., or Survey Description)
See attached

5. Lease Serial No.

~~UTU-2140A~~ **LITUD2140A**

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
Multiple9. API Well No.
See attached

10. Field and Pool, or Exploratory Area

11. County or Parish, State
Grand County, Utah

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Change of Operator
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Change of Operator from ABS Energy, LLC to Elk Production, LLC effective July 22, 2004Elk's BLM Bond # is UTB000135RECEIVED
MOAB FIELD OFFICE
2004 AUG 16 P 4:41
DEPT OF THE INTERIOR
BUREAU OF LAND MGMT

14. I hereby certify that the foregoing is true and correct
-
- Name (Printed/Typed)

Richard P. CristTitle **Executive Vice President**

Signature

Richard P. Crist

Date

8/12/04

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

ACCEPTEDTitle **Division of Resources**
Moab Field OfficeDate **AUG 25 2004**

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

cc: UDDGM

Conditions Attached

RECEIVED

SEP 07 2004

DIV. OF OIL, GAS & MINING

ATTACHMENT TO SUNDRY NOTICE

Wells Located on UTU-02140A

<u>Well Name</u>	<u>API #</u>	<u>Location</u>
Federal 1-10 ✓	43-019-30484	NW¼SW¼, Sec. 10, T20S, R21E
Federal 10-2 ✓	43-019-31210	NE¼SW¼, Sec. 10, T20R, R21E
Federal 11-1 ✓	43-019-30485	NW¼SW¼, Sec. 11, T20S, R21E
Federal 11-2 ✓	43-019-30882	SE¼SE¼, Sec. 11, T20S, R21E
Federal 11-3 ✓	43-019-30884	SW¼SW¼, Sec. 11, T20S, R21E
Federal 12-1 ✓	43-019-30881	SW¼SW¼, Sec. 12, T20S, R21E
Federal 13-1 ✓	43-019-30348	SW¼SW¼, Sec. 13, T20S, R21E
Federal 13-2 ✓	43-019-30673	SE¼NW¼, Sec. 13, T20S, R21E
Federal 13-3 ✓	43-019-30883	NW¼NE¼, Sec. 13, T20S, R21E
Federal 13-4 ✓	43-019-30885	NW¼SE¼, Sec. 13, T20S, R21E
Federal 14-1 ✓	43-019-30430	NW¼NW¼, Sec. 14, T20S, R21E
Federal 14-1A ✓	43-019-30436	NW¼NW¼, Sec. 14, T20S, R21E
Federal 14-2 ✓	43-019-30487	NE¼NE¼, Sec. 14, T20S, R21E
Federal 15-1 ✓	43-019-30585	NE¼SE¼, Sec. 15, T20S, R21E
Federal 15-2 ✓	43-019-30636	NW¼NW¼, Sec. 15, T20S, R21E
Federal 15-3 ✓	43-019-30637	NE¼NE¼, Sec. 15, T20S, R21E
Federal 15-4 ✓	43-019-30887	SW¼SW¼, Sec. 15, T20S, R21E
Federal 22-1 ✓	43-019-30625	SE¼NE¼, Sec. 22, T20S, R21E

Elk Production, LLC
All Wells on Lease
Sections 10, 11, 12, 13, 14, 15 and 22, T20S, R21E
Lease UTU02140A
Grand County, Utah

CONDITIONS OF ACCEPTANCE

Acceptance of these applications does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject leases which would entitle the applicant to conduct operations thereon.

Be advised that Elk Production, LLC is considered to be the operator of all wells on lease UTU02140A effective July 22, 2004, and is responsible under the terms and conditions of the leases for the operations conducted on the leased lands.

Bond coverage for these well is provided by UTB000135 (Principal – Elk Production, LLC) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43CFR 3106.7-2 continuing responsibility are met.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
DIV. OF OIL, GAS & MINING

RECEIVED

MAR 26 2007

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. UTU 02140A
2. Name of Operator Elk Production LLC		6. If Indian, Allottee or Tribe Name N/A
3a. Address 1401 17th. Street, Suite 700, Denver Colorado, 80202	3b. Phone No. (include area code) 303-296-4505	7. If Unit or CA/Agreement, Name and/or No. N/A
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 424' FNL & 846' FEL, NENE Section 15, T20S, R21E		8. Well Name and No. Federal #15-3
		9. API Well No. 43-019-30637
		10. Field and Pool, or Exploratory Area Greater Cisco Dakota
		11. County or Parish, State Grand County, Utah

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input checked="" type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input checked="" type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input checked="" type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Elk plans to cement squeeze a possible casing leak between 1554' and 1586' in the subject well. Previously, this well was producing from the Dakota with perfs from 2384'-2388' and 2350'-2356'. Elk plans to drill out the CIBP set at approximately 2490' to reopen flow to the original Morrison completion interval from 2591'-2608'. Elk plans to return the well to production by commingling the Dakota and the Morrison intervals. Work will be begin upon approval.

3-27-07
rm

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Karin Kuhn

Title Sr. Engineering Technician

Signature

Date

03/21/2007

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Office

Accepted by the
Utah Division of
Oil, Gas and MiningFederal Approval Of This
Action Is Necessary

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

By: [Signature]

* Cause 102-16(b)

UTAH DIVISION OF OIL, GAS AND MINING
NOTICE OF REPORTING PROBLEMS

Operator: Elk Production, LLC. Account: N2650 Today's Date: 09/16/2008

Problems:

- ☐ Late Report(s)
☐ Inaccurate Report(s)
☐ Incomplete Report(s)
☒ Other: No Subsequent Report

Failure to submit reports in a timely, accurate, and complete manner may result in the issuance of a Notice of Violation by the Division of Oil, Gas and Mining, and may result in the Division pursuing enforcement action as outlined in Rule R649-10, Administrative Procedures, and Section 40-6-11 of the Utah Code.

To avoid compliance action, these reporting problems should be resolved within 7 days.

Send reports to:

Utah Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

Fax to:

(801) 359-3940

43 D19 30637
Federal 15-3
20S 21E 15

Type of Report	Month(s) of Problem Report		
<input type="checkbox"/> Production – Form 10 <input type="checkbox"/> Disposition – Form 11 <input type="checkbox"/> Gas Plant – Form 13 <input type="checkbox"/> Enhanced Recovery – UIC Form 2 <input type="checkbox"/> Injection – UIC Form 3 <input type="checkbox"/> Other _____			
Type of Report	Well Name(s)	API Number(s)	Drilling Commenced
<input type="checkbox"/> Spud Notice – Form 9 <input type="checkbox"/> Drilling Reports – Form 9 <input type="checkbox"/> Well Completion Report – Form 8 <input checked="" type="checkbox"/> Other <u>Subsequent Sundry</u>	<input checked="" type="checkbox"/> List Attached		

Description of Problem:

Operator has submitted sundry of intents on the following wells that have been approved by DOGM. Per Rule 649-3-23, a subsequent report shall be submitted on Form 9, Sundry Notice, with in 30 days after completion. The report should show workover results, well status, work completion date, new perforation depths, etc.

If you have questions or concerns regarding this matter, please contact Rachel Medina at (801) 538-5260 .

cc: Compliance File
RAM
Well File
CHD

NOTICE OF REPORTING PROBLEMS

Operator: Elk Production, LLC. Account: N2650 Today's Date: 09/16/2008

[illegible]

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE – Other instructions on page 2.

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
Elk Production, LLC

3a. Address
1401 17th Street, Suite 700
Denver, CO 80202

3b. Phone No. (include area code)
303-298-4505

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
424' FNL, 846' FEL
NENE Section 15-T20S-R21E

5. Lease Serial No.
UTU-02140-A

6. If Indian, Allottee or Tribe Name
NA

7. If Unit of CA/Agreement, Name and/or No.
NA

8. Well Name and No.
Federal 15-3

9. API Well No.
4301930637

10. Field and Pool or Exploratory Area
Greater Cisco/Dakota

11. Country or Parish, State
Grand County, UT

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input checked="" type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input checked="" type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input checked="" type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

Elk still plans to cement squeeze a possible casing leak between 1554' and 1586' in the subject well as submitted in 3/2007. Previously, this well was producing from the Dakota with perms from 2384'-2388' and 2350'-2356'. Elk plans to drill out the CIBP set at approximately 2490' to reopen flow to the original Morrison completion interval from 2591'-2608'. Elk plans to return the well to production by commingling the Dakota and the Morrison intervals. Elk expects this work be done in the first half of 2009.

COPY SENT TO OPERATOR

Date: 1.27.2009

Initials: KS

14. I hereby certify that the foregoing is true and correct.

Name (Printed/Typed)
Karin Kuhn

Title Sr. Engineering Technician

Signature

Date 01/12/2009

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Pet Eng.

Office

DOGm

Federal Approval of this
Action Is Necessary

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

*Cause 102-16B

RECEIVED

JAN 13 2009

DIV. OF OIL, GAS & MIN.

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING

1. DJJ

2. CDW

X - Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

8/1/2011

FROM: (Old Operator):

N2650-Elk Production, LLC
 1401 17th Street, Suite 700
 Denver, CO 80202

Phone: 1 (303) 296-4505

TO: (New Operator):

N3785-SEP - Cisco Dome LLC
 1245 Brickyard Rd, Suite 210
 Salt Lake City, UT 84106

Phone: 1 (435) 940-9001

CA No.

Unit:

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LIST - 54 WELLS								

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 9/6/2011
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 9/6/2011
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 7/18/2011
- Is the new operator registered in the State of Utah: Business Number: 7934251-0160
- (R649-9-2)Waste Management Plan has been received on: Requested 9/21/2011
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA n/a
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: n/a
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
- Underground Injection Control ("UIC")** approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 9/20/2011
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 9/20/2011
- Bond information entered in RBDMS on: 9/6/2011
- Fee/State wells attached to bond in RBDMS on: 9/21/2011
- Injection Projects to new operator in RBDMS on: n/a
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: UTB000465
- Indian well(s) covered by Bond Number: n/a
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 1481053, 1481056 and 1481054
- The **FORMER** operator has requested a release of liability from their bond on: not yet

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER:
2. NAME OF OPERATOR: SEP - CISCO DOME, LLC		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 1245 Brickyard Rd., Ste 210 CITY Salt Lake City STATE UT ZIP 84106		7. UNIT or CA AGREEMENT NAME:
PHONE NUMBER: (435) 940-9001		8. WELL NAME and NUMBER: See attached list
4. LOCATION OF WELL FOOTAGES AT SURFACE:		9. API NUMBER:
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		10. FIELD AND POOL, OR WILDCAT:
COUNTY: Grand County		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of Operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Previous Operator:
Elk Production, LLC
1401 7th Street, Suite 700
Denver, Colorado 80202
303-296-4505

New Operator:
SEP - CISCO DOME, LLC
1245 Brickyard Rd., Ste. 210
Salt Lake City, UT
435-940-9001

Utah DOGM Bond # Thunderbird 2: 1481053-1481056; State 32-1; 1481054
BLM Bond # 4TB000465

effective 8/1/2011

SEP - CISCO DOME, LLC representative:

Name (Please Print): David Lillywhite

Signature

Title: President

Date

NAME (PLEASE PRINT) John Whisler

TITLE Chief Executive Officer

SIGNATURE

DATE

(This space for State use only)

APPROVED 9/30/2011

Earlene Russell

Division of Oil, Gas and Mining (See Instructions on Reverse Side)
Earlene Russell, Engineering Technician

(5/2000)

RECEIVED

SEP 06 2011

DIV. OF OIL, GAS & MINING

ELK PRODUCTION, LLC (N2650) to SEP-Cisco Dome, LLC (N3785)
effective 8/1/2011

well name	sec	twp	rng	api	entity	well	stat
THUNDERBIRD 1	32	200S	240E	4301930058	10339	OW	P
FEDERAL 19-3	19	200S	220E	4301930302	8201	GW	TA
FEDERAL 31-1A	31	200S	220E	4301930308	8204	GW	P
STATE 32-1	32	200S	220E	4301930347	8206	GW	P
FEDERAL 13-1	13	200S	210E	4301930348	8146	GW	TA
FEDERAL 23-1	23	200S	210E	4301930355	11393	GW	P
FEDERAL 25-1	25	200S	210E	4301930359	11394	GW	S
CALF CANYON 5	11	200S	210E	4301930393	2490	OW	TA
FEDERAL 30-1	30	200S	220E	4301930429	8203	GW	S
FEDERAL 14-1	14	200S	210E	4301930430	8169	GW	P
FEDERAL 24-3	24	200S	210E	4301930432	11395	GW	S
FEDERAL 14-1A	14	200S	210E	4301930436	8150	GW	TA
FEDERAL 1-10	10	200S	210E	4301930484	8141	GW	S
FEDERAL 11-1	11	200S	210E	4301930485	8142	GW	P
FEDERAL 14-2	14	200S	210E	4301930487	8151	GW	S
FEDERAL 14-3	14	200S	210E	4301930488	8152	GW	S
FEDERAL 24-2	24	200S	210E	4301930530	8159	GW	S
FEDERAL 25-3	25	200S	210E	4301930575	8170	GW	S
FEDERAL 15-1	15	200S	210E	4301930585	11391	GW	TA
FEDERAL 23-2	23	200S	210E	4301930586	8140	GW	P
FEDERAL 25-2	25	200S	210E	4301930587	11392	OW	S
FEDERAL 23-3	23	200S	210E	4301930588	8157	GW	S
FEDERAL 22-1	22	200S	210E	4301930625	8156	GW	P
FEDERAL 15-2	15	200S	210E	4301930636	8154	GW	S
FEDERAL 15-3	15	200S	210E	4301930637	8155	GW	S
FEDERAL 13-2	13	200S	210E	4301930673	8147	GW	S
FEDERAL 25-4	25	200S	210E	4301930743	8181	GW	S
FEDERAL 23-4	23	200S	210E	4301930760	8158	GW	P
FEDERAL 18-1	18	200S	220E	4301930875	8200	GW	S
FEDERAL 14-4	14	200S	210E	4301930878	8153	GW	S
FEDERAL 12-1	12	200S	210E	4301930881	8145	GW	S
FEDERAL 11-2	11	200S	210E	4301930882	8143	GW	S
FEDERAL 13-3	13	200S	210E	4301930883	8148	GW	TA
FEDERAL 11-3	11	200S	210E	4301930884	8144	GW	S
FEDERAL 13-4	13	200S	210E	4301930885	8149	GW	TA
FEDERAL 15-4	15	200S	210E	4301930887	10140	GW	TA
FEDERAL 19-1A	19	200S	220E	4301930896	8201	GW	TA
FEDERAL 24-4	24	200S	210E	4301930900	8208	GW	TA
FED 3-675	10	200S	210E	4301931094	303	GW	S
FEDERAL 10-2	10	200S	210E	4301931210	8207	GW	TA
FEDERAL 14-6	14	200S	210E	4301931421	14803	GW	P
FEDERAL 14-7	14	200S	210E	4301931422	14780	GW	P
FEDERAL 24-6	24	200S	210E	4301931423	14779	GW	S
FEDERAL 23-6	23	200S	210E	4301931424	14848	GW	S
FEDERAL 15-8	15	200S	210E	4301931434	15006	GW	P
FEDERAL 15-7	15	200S	210E	4301931435	14868	GW	S
FEDERAL 14-5	14	200S	210E	4301931436	14805	GW	P
FEDERAL 11-6	11	200S	210E	4301931437	14869	GW	P
FEDERAL 14-8	14	200S	210E	4301931439	14804	GW	P
FEDERAL 22-2	22	200S	210E	4301931440	14847	GW	S
FEDERAL 15-5	15	200S	210E	4301931441	14952	GW	S
FEDERAL 23-5	23	200S	210E	4301931442	15007	GW	P
FEDERAL 24-5	24	200S	210E	4301931443	14960	GW	P
FEDERAL 25-5	25	200S	210E	4301931444	14849	GW	S

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires: January 31, 2004

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator **SEP - CISCO DOME, LLC**

3a. Address

3b. Phone No. (include area code)

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

**T20S-R21E
Sec 15- NENE**

5. Lease Serial No.
UTU-02140A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
Federal 15-3

9. API Well No.
4301930637

10. Field and Pool, or Exploratory Area

11. County or Parish, State
Grand County, Utah

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Change of Operator
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Change of Operator

Previous Operator:
Elk Production, LLC
1401 17th Street, Ste 700
Denver, Colorado 80202
303-296-4505

New Operator:
SEP - CISCO DOME, LLC
1245 Brickyard Rd., Ste. 210
Salk Lake City, Utah 84106
435-940-9001

Please be advised that SEP-CISCO DOME, LLC is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by UTB 0004465.

RECEIVED
OCT 03 2011

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

David Lillywhite

Title **President**

Signature

Date **7/28/11**

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

ACCEPTED

Title **Division of Resources**
Moab Field Office

Date **9/19/11**

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

Conditions Attached

SEP-Cisco Dome, LLC

Lease UTU02140A

Wells 1-10, 10-2, 11-1, 11-2, 11-3, 11-6, 12-1, 13-1, 13-2, 13-3, 13-4, 14-1, 14-1A, 14-2, 14-5, 14-6, 14-7, 15-1, 15-2, 15-3, 15-4, 15-5, 15-7, 15-8, 22-1 and 22-2

Sections 10, 11, 12, 13, 14, 15 and 22, T20S, R21E

Grand County, Utah

CONDITIONS OF ACCEPTANCE

Acceptance of these applications does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that SEP-Cisco Dome, LLC is considered to be the operator of the above wells effective September 1, 2011, and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UTB000465 (Principal – SEP-Cisco Dome, LLC) as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43CFR 3106.7-2 continuing responsibility are met.

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING

1. DJJ

2. CDW

X - Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

8/1/2011

FROM: (Old Operator): N2650-Elk Production, LLC 1401 17th Street, Suite 700 Denver, CO 80202 Phone: 1 (303) 296-4505	TO: (New Operator): N3785-SEP - Cisco Dome LLC 1245 Brickyard Rd, Suite 210 Salt Lake City, UT 84106 Phone: 1 (435) 940-9001
---	--

CA No.				Unit:		CALF CANYON		
WELL NAME	SEC TWN RNG			API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LIST - 10 WELLS								

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 9/6/2011
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 9/6/2011
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 7/18/2011
- Is the new operator registered in the State of Utah: Business Number: 7934251-0160
- (R649-9-2) Waste Management Plan has been received on: Requested 9/21/2011
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA n/a
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: n/a
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
- Underground Injection Control ("UIC")** approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 9/20/2011
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 9/20/2011
- Bond information entered in RBDMS on: 9/6/2011
- Fee/State wells attached to bond in RBDMS on: 9/21/2011
- Injection Projects to new operator in RBDMS on: n/a
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: UTB000465
- Indian well(s) covered by Bond Number: n/a
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number
- The **FORMER** operator has requested a release of liability from their bond on: not yet

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

ELK PRODUCTION, LLC (N2650) to SEP-Cisco Dome, LLC (N3785)
effective 8/1/2011

well_name	sec	twp	rng	api	entity	well	stat
CALF CANYON 1	03	200S	210E	4301930298	11666	OW	S
FEDERAL 675-1	10	200S	210E	4301930376	11666	OW	S
CALF CANYON 4	11	200S	210E	4301930392	2515	OW	S
CALF CYN 7	03	200S	210E	4301931168	11666	GW	S
FEDERAL 675 4	10	200S	210E	4301931187	11666	OW	P
CALF CANYON 8	03	200S	210E	4301931197	16780	GW	S
FEDERAL 675 5	10	200S	210E	4301931199	11666	OW	S
CALF CANYON FED 10	03	200S	210E	4301931203	11666	OW	S
FEDERAL 675-6	09	200S	210E	4301931208	11666	OW	S
CALF CANYON 11	03	200S	210E	4301931209	15278	GW	S

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires: January 31, 2004

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator **SEP - CISCO DOME, LLC**

3a. Address

3b. Phone No. (include area code)

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

**T20S-R21E
Sec 15- NENE**

5. Lease Serial No.
UTU-02140A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
Federal 15-3

9. API Well No.
4301930637

10. Field and Pool, or Exploratory Area

11. County or Parish, State
Grand County, Utah

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Change of Operator
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Change of Operator

Previous Operator:
Elk Production, LLC
1401 17th Street, Ste 700
Denver, Colorado 80202
303-296-4505

New Operator:
SEP - CISCO DOME, LLC
1245 Brickyard Rd., Ste. 210
Salk Lake City, Utah 84106
435-940-9001

Please be advised that SEP-CISCO DOME, LLC is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by UTB 0004465.

RECEIVED
OCT 03 2011

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

David Lillywhite

Title **President**

Signature

Date **7/28/11**

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

ACCEPTED

Title **Division of Resources**
Moab Field Office

Date **9/19/11**

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

Conditions Attached

SEP-Cisco Dome, LLC

Lease UTU02140A

Wells 1-10, 10-2, 11-1, 11-2, 11-3, 11-6, 12-1, 13-1, 13-2, 13-3, 13-4, 14-1, 14-1A, 14-2, 14-5, 14-6, 14-7, 15-1, 15-2, 15-3, 15-4, 15-5, 15-7, 15-8, 22-1 and 22-2

Sections 10, 11, 12, 13, 14, 15 and 22, T20S, R21E

Grand County, Utah

CONDITIONS OF ACCEPTANCE

Acceptance of these applications does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that SEP-Cisco Dome, LLC is considered to be the operator of the above wells effective September 1, 2011, and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UTB000465 (Principal – SEP-Cisco Dome, LLC) as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43CFR 3106.7-2 continuing responsibility are met.

Division of Oil, Gas and Mining

Operator Change/Name Change Worksheet-for State use only

Effective Date: 9/1/2014

FORMER OPERATOR:	NEW OPERATOR:
SEP CISCO DOME, LLC N3785 10447 SOUTH JORDAN GATEWAY SOUTH JORDAN UT 84095 801-657-5780	ROSE PETROLEUM (UTAH), LLC N4095 383 INVERNESS PARKWAY SUITE 330 ENGLEWOOD CO 80112 720-390-3860
CA Number(s):	Unit(s):

WELL INFORMATION:

Well Name	Sec	TWN	RNG	API	Entity	Mineral	Surface	Type	Status
See Attached List									

OPERATOR CHANGES DOCUMENTATION:

1. Sundry or legal documentation was received from the **FORMER** operator on: 1/26/2015
2. Sundry or legal documentation was received from the **NEW** operator on: 1/26/2015
3. New operator Division of Corporations Business Number: 9009626-0161

REVIEW:

1. Surface Agreement Sundry from **NEW** operator on Fee Surface wells received on: N/A
2. Receipt of Acceptance of Drilling Procedures for APD/New on: N/A
3. Reports current for Production/Disposition & Sundries: 1/23/2015
4. OPS/SI/TA well(s) reviewed for full cost bonding: N/A
5. UIC5 on all disposal/injection/storage well(s) approved on: N/A
6. Surface Facility(s) included in operator change: NONE
7. Inspections of PA state/fee well sites complete on (only upon operators request): N/A

NEW OPERATOR BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 1001696855
2. Indian well(s) covered by Bond Number: N/A
3. State/fee well(s) covered by Bond Number(s): N/A

DATA ENTRY:

1. Well(s) update in the **OGIS** on: 1/27/2015
2. Entity Number(s) updated in **OGIS** on: 1/27/2015
3. Unit(s) operator number update in **OGIS** on: N/A
4. Surface Facilities update in **OGIS** on: N/A
5. State/Fee well(s) attached to bond(s) in **RBDMS** on: N/A
6. Surface Facilities update in **RBDMS** on: N/A

LEASE INTEREST OWNER NOTIFICATION:

1. The **NEW** operator of the Fee (Mineral) wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

SEP Cisco Dome, LLC N3785
to Rose Petroleum (Utah), LLC N4095
Effective 9/1/2014

Well Name	Sec	TWN	RNG	API	Entity	Mineral	Surface	Type	Status
UNION GOVT II-1	24	200S	210E	4301915107	680	Federal	State	GW	P
FEDERAL 31-1A	31	200S	220E	4301930308	8204	Federal	Federal	GW	P
FEDERAL 23-1	23	200S	210E	4301930355	11393	Federal	Federal	GW	P
FEDERAL 14-1	14	200S	210E	4301930430	8169	Federal	Federal	GW	P
FEDERAL 11-1	11	200S	210E	4301930485	8142	Federal	Federal	GW	P
FEDERAL 23-2	23	200S	210E	4301930586	8140	Federal	Federal	GW	P
FEDERAL 14-4	14	200S	210E	4301930878	8153	Federal	Federal	GW	P
FEDERAL 11-3	11	200S	210E	4301930884	8144	Federal	Federal	GW	P
FEDERAL 14-6	14	200S	210E	4301931421	14803	Federal	Federal	GW	P
FEDERAL 14-7	14	200S	210E	4301931422	14780	Federal	Federal	GW	P
FEDERAL 15-8	15	200S	210E	4301931434	15006	Federal	Federal	GW	P
FEDERAL 11-6	11	200S	210E	4301931437	14869	Federal	Federal	GW	P
FEDERAL 14-8	14	200S	210E	4301931439	14804	Federal	Federal	GW	P
FEDERAL 22-2	22	200S	210E	4301931440	14847	Federal	Federal	GW	P
FEDERAL 24-5	24	200S	210E	4301931443	14960	Federal	Federal	GW	P
FEDERAL 13-1	13	200S	210E	4301930348	8146	Federal	Federal	GW	S
FEDERAL 25-1	25	200S	210E	4301930359	11394	Federal	State	GW	S
FEDERAL 30-1	30	200S	220E	4301930429	8203	Federal	Federal	GW	S
FEDERAL 24-3	24	200S	210E	4301930432	11395	Federal	Federal	GW	S
FEDERAL 14-2	14	200S	210E	4301930487	8151	Federal	Federal	GW	S
FEDERAL 14-3	14	200S	210E	4301930488	8152	Federal	Federal	GW	S
FEDERAL 24-2	24	200S	210E	4301930530	8159	Federal	Federal	GW	S
FEDERAL 25-3	25	200S	210E	4301930575	8170	Federal	Federal	GW	S
FEDERAL 25-2	25	200S	210E	4301930587	11392	Federal	Federal	OW	S
FEDERAL 23-3	23	200S	210E	4301930588	8157	Federal	Federal	GW	S
FEDERAL 22-1	22	200S	210E	4301930625	8156	Federal	Federal	GW	S
FEDERAL 15-2	15	200S	210E	4301930636	8154	Federal	Federal	GW	S
FEDERAL 15-3	15	200S	210E	4301930637	8155	Federal	Federal	GW	S
FEDERAL 13-2	13	200S	210E	4301930673	8147	Federal	Federal	GW	S
FEDERAL 25-4	25	200S	210E	4301930743	8181	Federal	State	GW	S
FEDERAL 23-4	23	200S	210E	4301930760	8158	Federal	Federal	GW	S
FEDERAL 12-1	12	200S	210E	4301930881	8145	Federal	Federal	GW	S
FEDERAL 11-2	11	200S	210E	4301930882	8143	Federal	Federal	GW	S
FEDERAL 24-1	24	200S	210E	4301931010	11189	Federal	Federal	GW	S
FEDERAL 10-2A	10	200S	210E	4301931400	14043	Federal	Federal	GW	S
FEDERAL 24-6	24	200S	210E	4301931423	14779	Federal	Federal	GW	S
FEDERAL 23-6	23	200S	210E	4301931424	14848	Federal	Federal	GW	S
FEDERAL 15-7	15	200S	210E	4301931435	14868	Federal	Federal	GW	S
FEDERAL 14-5	14	200S	210E	4301931436	14805	Federal	Federal	GW	S
FEDERAL 15-5	15	200S	210E	4301931441	14952	Federal	Federal	GW	S
FEDERAL 23-5	23	200S	210E	4301931442	15007	Federal	Federal	GW	S
FEDERAL 25-5	25	200S	210E	4301931444	14849	Federal	Federal	GW	S
FEDERAL 19-3	19	200S	220E	4301930302	8201	Federal	Federal	GW	TA
FEDERAL 14-1A	14	200S	210E	4301930436	8150	Federal	Federal	GW	TA
FEDERAL 15-1	15	200S	210E	4301930585	11391	Federal	Federal	GW	TA
FEDERAL 13-4	13	200S	210E	4301930885	8149	Federal	Federal	GW	TA
FEDERAL 19-1A	19	200S	220E	4301930896	8201	Federal	Federal	GW	TA
FEDERAL 24-4	24	200S	210E	4301930900	8208	Federal	Federal	GW	TA
FEDERAL 10-2	10	200S	210E	4301931210	8207	Federal	Federal	GW	TA

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

5. LEASE DESIGNATION AND SERIAL NUMBER:

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:

8. WELL NAME and NUMBER:
SEE ATTACHED LIST

9. API NUMBER:
SEE LIST

10. FIELD AND POOL, OR WILDCAT:
GREATER CISCO

1. TYPE OF WELL OIL WELL ☐ GAS WELL ☒ OTHER _____

2. NAME OF OPERATOR:
ROSE PETROLEUM (UTAH) LLC

3. ADDRESS OF OPERATOR:
383 INVERNESS PARKWAY CITY ENGLEWOOD STATE CO ZIP 80112

PHONE NUMBER:
(720) 390-3860

4. LOCATION OF WELL

FOOTAGES AT SURFACE

COUNTY: **GRAND**

QTR/CTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE: **UTAH**

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

CHANGE OF OPERATOR- Effective as of September 1, 2014

PREVIOUS OPERATOR:

SEP - CISCO DOME N3785
10447 SOUTH JORDAN GATEWAY
SOUTH JORDAN, UT 84095
(801) 657-5780

NEW OPERATOR:

ROSE PETROLEUM (UTAH), LLC DIV. OF OIL, GAS & MINING
383 INVERNESS PARKWAY, SUITE 330
ENGLEWOOD, CO 80112
(720) 390-3860 **N4095**

Name: ~~Dan D. White~~ **Larry R. Williams**
Title: ~~President~~ **Land Manager & Corporate Counsel**

Be advised that Rose Petroleum (Utah), LLC is responsible under the terms and conditions of the related lease for the operations conducted upon the leased lands. Bond coverage is provided by Bond No. 1001696855.

NAME (PLEASE PRINT) **John M. Blair**

TITLE **CEO**

SIGNATURE 

DATE **1-23-15**

(This space for State use only)

APPROVED

JAN 27 2015

DIV. OIL GAS & MINING

BY: **Rachel Medina**

WELLS

API NUMBER	WELL NAME	LOCATION
43-019-31210-00-00	FEDERAL 10-2	20S-21E, SEC 10:NESW, GRAND CO., UT
43-019-31400-00-00	FEDERAL 10-2A	20S-21E, SEC 10:NWSE, GRAND CO., UT
43-019-30485-00-00	FEDERAL 11-1	20S-21E, SEC 11:NWSW, GRAND CO., UT
43-019-30882-00-00	FEDERAL 11-2	20S-21E, SEC 11:SESE, GRAND CO., UT
43-019-30884-00-00	FEDERAL 11-3	20S-21E, SEC 11:SWSW, GRAND CO., UT
43-019-31437-00-00	FEDERAL 11-6	20S-21E, SEC 11:SESW, GRAND CO., UT
43-019-30881-00-00	FEDERAL 12-1	20S-21E, SEC 12:SWSW, GRAND CO., UT
43-019-30348-00-00	FEDERAL 13-1	20S-21E, SEC 13:SWSW, GRAND CO., UT
43-019-30673-00-00	FEDERAL 13-2	20S-21E, SEC 13:SESW, GRAND CO., UT
43-019-30885-00-00	FEDERAL 13-4	20S-21E, SEC 13:NWSE, GRAND CO., UT
43-019-30430-00-00	FEDERAL 14-1	20S-21E, SEC 14:NWNW, GRAND CO., UT
43-019-30436-00-00	FEDERAL 14-1A	20S-21E, SEC 14:NWNW, GRAND CO., UT
43-019-30487-00-00	FEDERAL 14-2	20S-21E, SEC 14:NENE, GRAND CO., UT
43-019-30488-00-00	FEDERAL 14-3	20S-21E, SEC 14:NESE, GRAND CO., UT
43-019-30878-00-00	FEDERAL 14-4	20S-21E, SEC 14:SWSW, GRAND CO., UT
43-019-31436-00-00	FEDERAL 14-5	20S-21E, SEC 14:NENW, GRAND CO., UT
43-019-31421-00-00	FEDERAL 14-6	20S-21E, SEC 14:SWNW, GRAND CO., UT
43-019-31422-00-00	FEDERAL 14-7	20S-21E, SEC 14:SWNE, GRAND CO., UT
43-019-31439-00-00	FEDERAL 14-8	20S-21E, SEC 14:SWSE, GRAND CO., UT
43-019-30585-00-00	FEDERAL 15-1	20S-21E, SEC 15:NESE, GRAND CO., UT
43-019-30636-00-00	FEDERAL 15-2	20S-21E, SEC 15:NWNW, GRAND CO., UT
43-019-30637-00-00	FEDERAL 15-3	20S-21E, SEC 15:NENE, GRAND CO., UT
43-019-31441-00-00	FEDERAL 15-5	20S-21E, SEC 15:NWSE, GRAND CO., UT
43-019-31435-00-00	FEDERAL 15-7	20S-21E, SEC 15:SESW, GRAND CO., UT
43-019-31434-00-00	FEDERAL 15-8	20S-21E, SEC 15:SWSE, GRAND CO., UT
43-019-30898-00-00	FEDERAL 19-1A	20S-21E, SEC 19:SWNW, GRAND CO., UT
43-019-30302-00-00	FEDERAL 19-3	20S-21E, SEC 19:SWSW, GRAND CO., UT
43-019-30625-00-00	FEDERAL 22-1	20S-21E, SEC 22:SENE, GRAND CO., UT

WELLS

API NUMBER	WELL NAME	LOCATION
43-019-31440-00-00	FEDERAL 22-2	20S-21E, SEC 22:NWNE, GRAND CO., UT
43-019-30355-00-00	FEDERAL 23-1	20S-21E, SEC 23:SWNE, GRAND CO., UT
43-019-30588-00-00	FEDERAL 23-2	20S-21E, SEC 23:NWNW, GRAND CO., UT
43-019-30588-00-00	FEDERAL 23-3	20S-21E, SEC 23:SESW, GRAND CO., UT
43-019-30760-00-00	FEDERAL 23-4	20S-21E, SEC 23:NWSE, GRAND CO., UT
43-019-31442-00-00	FEDERAL 23-5	20S-21E, SEC 23:NENE, GRAND CO., UT
43-019-31424-00-00	FEDERAL 23-6	20S-21E, SEC 23:SESW, GRAND CO., UT
43-019-31010-00-00	FEDERAL 24-1	20S-21E, SEC 24:SWSW, GRAND CO., UT
43-019-30530-00-00	FEDERAL 24-2	20S-21E, SEC 24:NWNW, GRAND CO., UT
43-019-30432-00-00	FEDERAL 24-3	20S-21E, SEC 24:SWSE, GRAND CO., UT
43-019-30900-00-00	FEDERAL 24-4	20S-21E, SEC 24:NWNE, GRAND CO., UT
43-019-31443-00-00	FEDERAL 24-5	20S-21E, SEC 24:SNNW, GRAND CO., UT
43-019-31423-00-00	FEDERAL 24-6	20S-21E, SEC 24:NWSE, GRAND CO., UT
43-019-30359-00-00	FEDERAL 25-1	20S-21E, SEC 25:SWNE, GRAND CO., UT
43-019-30587-00-00	FEDERAL 25-2	20S-21E, SEC 25:SWSW, GRAND CO., UT
43-019-30575-00-00	FEDERAL 25-3	20S-21E, SEC 25:SESE, GRAND CO., UT
43-019-30743-00-00	FEDERAL 25-4	20S-21E, SEC 25:NENW, GRAND CO., UT
43-019-31444-00-00	FEDERAL 25-5	20S-21E, SEC 25:SESW, GRAND CO., UT
43-019-30429-00-00	FEDERAL 30-1	20S-22E, SEC 30:SNNW, GRAND CO., UT
43-019-30308-00-00	FEDERAL 31-1A	20S-22E, SEC 31:NENW, GRAND CO., UT
43-019-15107-00-00	UNION GOVT II-1	20S-21E, SEC 24:NWSW, GRAND CO., UT

Effective Date: 7/1/2016

FORMER OPERATOR:	NEW OPERATOR:
Rose Petroleum (Utah), LLC N4095 383 Inverness Parkway, Suite 330 Englewood, CO 80112	Rockies Standard Oil Company, LLC N3735 1411 East 840 North Orem, UT 84097
CA Number(s):	Unit(s): Gunnison Valley

WELL INFORMATION:

Well Name	Sec	TWN	RNG	API	Entity	Mineral	Surface	Type	Status
See Attached List									

OPERATOR CHANGES DOCUMENTATION:

1. Sundry or legal documentation was received from the **FORMER** operator on: 7/27/2016
2. Sundry or legal documentation was received from the **NEW** operator on: 7/27/2016
3. New operator Division of Corporations Business Number: 7698560-0161

REVIEW:

1. Surface Agreement Sundry from **NEW** operator on Fee Surface wells received on: N/A
2. Receipt of Acceptance of Drilling Procedures for APD on: N/A
3. Reports current for Production/Disposition & Sundries: 9/14/2016
4. OPS/SI/TA well(s) reviewed for full cost bonding: 8/24/2016
5. UIC5 on all disposal/injection/storage well(s) approved on: N/A
6. Surface Facility(s) included in operator change: N/A
7. Inspections of PA state/fee well sites complete on (only upon operators request): N/A

NEW OPERATOR BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 1001696855
2. Indian well(s) covered by Bond Number: 1001696855
3. State/fee well(s) covered by Bond Number(s): 1001696855a,b,c,d,e

DATA ENTRY:

1. Well(s) update in the **OGIS** on: 9/14/2016
2. Entity Number(s) updated in **OGIS** on: 9/14/2016
3. Unit(s) operator number update in **OGIS** on: 9/14/2016
4. Surface Facilities update in **OGIS** on: N/A
5. State/Fee well(s) attached to bond(s) in **RBDMS** on: 9/14/2016
6. Surface Facilities update in **RBDMS** on: N/A

COMMENTS:

From Rose Petroleum (Utah), LLC
To Rockies Standard Oil Company, LLC
Effective July 1, 2016

Well Name	Sec	TWN	RNG	API Numnber	Entity	Mineral	Surface	Type	Status	Unit
THUNDERBIRD 1	32	200S	240E	4301930058	10339	State	State	OW	P	
CPSKY PHLPS FEE 8-1	8	200S	240E	4301915100	2800	Fee	Fee	GW	S	
UNION GOVT II-1	24	200S	210E	4301915107	680	Federal	State	GW	S	
FEDERAL 19-3	19	200S	220E	4301930302	8201	Federal	Federal	GW	S	
FEDERAL 31-1A	31	200S	220E	4301930308	8204	Federal	Federal	GW	S	
STATE 32-1	32	200S	220E	4301930347	8206	State	State	GW	S	
FEDERAL 13-1	13	200S	210E	4301930348	8146	Federal	Federal	GW	S	
FEDERAL 23-1	23	200S	210E	4301930355	11393	Federal	Federal	GW	S	
FEDERAL 25-1	25	200S	210E	4301930359	11394	Federal	State	GW	S	
FEDERAL 30-1	30	200S	220E	4301930429	8203	Federal	Federal	GW	S	
FEDERAL 14-1	14	200S	210E	4301930430	8169	Federal	Federal	GW	S	
FEDERAL 24-3	24	200S	210E	4301930432	11395	Federal	Federal	GW	S	
FEDERAL 14-1A	14	200S	210E	4301930436	8150	Federal	Federal	GW	S	
FEDERAL 11-1	11	200S	210E	4301930485	8142	Federal	Federal	GW	S	
FEDERAL 14-2	14	200S	210E	4301930487	8151	Federal	Federal	GW	S	
FEDERAL 14-3	14	200S	210E	4301930488	8152	Federal	Federal	GW	S	
FEDERAL 24-2	24	200S	210E	4301930530	8159	Federal	Federal	GW	S	
FEDERAL 25-3	25	200S	210E	4301930575	8170	Federal	Federal	GW	S	
FEDERAL 15-1	15	200S	210E	4301930585	11391	Federal	Federal	GW	S	
FEDERAL 23-2	23	200S	210E	4301930586	8140	Federal	Federal	GW	S	
FEDERAL 25-2	25	200S	210E	4301930587	11392	Federal	Federal	OW	S	
FEDERAL 23-3	23	200S	210E	4301930588	8157	Federal	Federal	GW	S	
FEDERAL 22-1	22	200S	210E	4301930625	8156	Federal	Federal	GW	S	
FEDERAL 15-2	15	200S	210E	4301930636	8154	Federal	Federal	GW	S	
FEDERAL 15-3	15	200S	210E	4301930637	8155	Federal	Federal	GW	S	
FEDERAL 13-2	13	200S	210E	4301930673	8147	Federal	Federal	GW	S	
FEDERAL 25-4	25	200S	210E	4301930743	8181	Federal	State	GW	S	
FEDERAL 23-4	23	200S	210E	4301930760	8158	Federal	Federal	GW	S	
FEDERAL 14-4	14	200S	210E	4301930878	8153	Federal	Federal	GW	S	
FEDERAL 12-1	12	200S	210E	4301930881	8145	Federal	Federal	GW	S	
FEDERAL 11-2	11	200S	210E	4301930882	8143	Federal	Federal	GW	S	
FEDERAL 11-3	11	200S	210E	4301930884	8144	Federal	Federal	GW	S	
FEDERAL 13-4	13	200S	210E	4301930885	8149	Federal	Federal	GW	S	
FEDERAL 19-1A	19	200S	220E	4301930896	8201	Federal	Federal	GW	S	
FEDERAL 24-4	24	200S	210E	4301930900	8208	Federal	Federal	GW	S	
FEDERAL 24-1	24	200S	210E	4301931010	11189	Federal	Federal	GW	S	
FEDERAL 10-2	10	200S	210E	4301931210	8207	Federal	Federal	GW	S	
FEDERAL 10-2A	10	200S	210E	4301931400	14043	Federal	Federal	GW	S	
FEDERAL 14-6	14	200S	210E	4301931421	14803	Federal	Federal	GW	S	
FEDERAL 14-7	14	200S	210E	4301931422	14780	Federal	Federal	GW	S	
FEDERAL 24-6	24	200S	210E	4301931423	14779	Federal	Federal	GW	S	
FEDERAL 23-6	23	200S	210E	4301931424	14848	Federal	Federal	GW	S	
FEDERAL 15-8	15	200S	210E	4301931434	15006	Federal	Federal	GW	S	
FEDERAL 15-7	15	200S	210E	4301931435	14868	Federal	Federal	GW	S	
FEDERAL 14-5	14	200S	210E	4301931436	14805	Federal	Federal	GW	S	
FEDERAL 11-6	11	200S	210E	4301931437	14869	Federal	Federal	GW	S	
FEDERAL 14-8	14	200S	210E	4301931439	14804	Federal	Federal	GW	S	
FEDERAL 22-2	22	200S	210E	4301931440	14847	Federal	Federal	GW	S	
FEDERAL 15-5	15	200S	210E	4301931441	14952	Federal	Federal	GW	S	
FEDERAL 23-5	23	200S	210E	4301931442	15007	Federal	Federal	GW	S	
FEDERAL 24-5	24	200S	210E	4301931443	14960	Federal	Federal	GW	S	
FEDERAL 25-5	25	200S	210E	4301931444	14849	Federal	Federal	GW	S	
STATE 16-42	16	220S	170E	4301931605	17278	State	State	GW	S	GUNNISON VALLEY
State 1-34	34	210S	230E	4301950067	19876	State	State	OW	S	

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: SEE ATTACHED LIST
2. NAME OF OPERATOR: Rockies Standard Oil Company, LLC		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 1411 E 840 N CITY Orem STATE UT ZIP 84097		7. UNIT or CA AGREEMENT NAME:
PHONE NUMBER: (801) 224-4771		8. WELL NAME and NUMBER: SEE ATTACHED LIST
4. LOCATION OF WELL FOOTAGES AT SURFACE: SEE ATTACHED LIST		9. API NUMBER: SEE LIST
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		10. FIELD AND POOL, OR WILDCAT: Greater Cisco
COUNTY: Grand County		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

CHANGE OF OPERATOR


PREVIOUS OPERATOR:

Rose Petroleum (Utah), LLC
383 Inverness Parkway, Ste 330
Englewood, CO 80112
(303) 814-0388

NEW OPERATOR:

Rockies Standard Oil Company, LLC
1411 East 840 North
Orem, UT 84097
(801) 224-4771

Be advised that Rockies Standard Oil Company, LLC is responsible under the terms and conditions of the related leases for the operations conducted upon the leased lands. Bond coverage is covered by Bond No. 1001696855.A

NAME (PLEASE PRINT) Kimball Hodges	TITLE Manager
SIGNATURE 	DATE 7/20/16

(This space for State use only)

APPROVED

RECEIVED

JUL 27 2016

SEP 14 2016

(See Instructions on Reverse Side)

DIV. OIL GAS & MINING

BY: Rachel Medina

WELLS

API NUMBER	WELL NAME	LOCATION
43-019-31210-00-00	FEDERAL 10-2	20S-21E, SEC 10:NESW, GRAND CO., UT
43-019-31400-00-00	FEDERAL 10-2A	20S-21E, SEC 10:NWSE, GRAND CO., UT
43-019-30485-00-00	FEDERAL 11-1	20S-21E, SEC 11:NWSW, GRAND CO., UT
43-019-30882-00-00	FEDERAL 11-2	20S-21E, SEC 11:SESE, GRAND CO., UT
43-019-30884-00-00	FEDERAL 11-3	20S-21E, SEC 11:SWSW, GRAND CO., UT
43-019-31437-00-00	FEDERAL 11-6	20S-21E, SEC 11:SESW, GRAND CO., UT
43-019-30881-00-00	FEDERAL 12-1	20S-21E, SEC 12:SWSW, GRAND CO., UT
43-019-30348-00-00	FEDERAL 13-1	20S-21E, SEC 13:SWSW, GRAND CO., UT
43-019-30673-00-00	FEDERAL 13-2	20S-21E, SEC 13:SESW, GRAND CO., UT
43-019-30885-00-00	FEDERAL 13-4	20S-21E, SEC 13:NWSE, GRAND CO., UT
43-019-30430-00-00	FEDERAL 14-1	20S-21E, SEC 14:NWNW, GRAND CO., UT
43-019-30436-00-00	FEDERAL 14-1A	20S-21E, SEC 14:NWNW, GRAND CO., UT
43-019-30487-00-00	FEDERAL 14-2	20S-21E, SEC 14:NENE, GRAND CO., UT
43-019-30488-00-00	FEDERAL 14-3	20S-21E, SEC 14:NESE, GRAND CO., UT
43-019-30878-00-00	FEDERAL 14-4	20S-21E, SEC 14:SWSW, GRAND CO., UT
43-019-31436-00-00	FEDERAL 14-5	20S-21E, SEC 14:NENW, GRAND CO., UT
43-019-31421-00-00	FEDERAL 14-6	20S-21E, SEC 14:SWNW, GRAND CO., UT
43-019-31422-00-00	FEDERAL 14-7	20S-21E, SEC 14:SWNE, GRAND CO., UT
43-019-31439-00-00	FEDERAL 14-8	20S-21E, SEC 14:SWSE, GRAND CO., UT
43-019-30585-00-00	FEDERAL 15-1	20S-21E, SEC 15:NESE, GRAND CO., UT
43-019-30636-00-00	FEDERAL 15-2	20S-21E, SEC 15:NWNW, GRAND CO., UT
43-019-30637-00-00	FEDERAL 15-3	20S-21E, SEC 15:NENE, GRAND CO., UT
43-019-31441-00-00	FEDERAL 15-5	20S-21E, SEC 15:NWSE, GRAND CO., UT
43-019-31435-00-00	FEDERAL 15-7	20S-21E, SEC 15:SESW, GRAND CO., UT
43-019-31434-00-00	FEDERAL 15-8	20S-21E, SEC 15:SWSE, GRAND CO., UT
43-019-30896-00-00	FEDERAL 19-1A	20S-21E, SEC 19:SWNW, GRAND CO., UT
43-019-30302-00-00	FEDERAL 19-3	20S-21E, SEC 19:SWSW, GRAND CO., UT
43-019-30625-00-00	FEDERAL 22-1	20S-21E, SEC 22:SENE, GRAND CO., UT

WELLS

API NUMBER	WELL NAME	LOCATION
43-019-31440-00-00	FEDERAL 22-2	20S-21E, SEC 22:NWNE, GRAND CO., UT
43-019-30355-00-00	FEDERAL 23-1	20S-21E, SEC 23:SWNE, GRAND CO., UT
43-019-30586-00-00	FEDERAL 23-2	20S-21E, SEC 23:NWNW, GRAND CO., UT
43-019-30588-00-00	FEDERAL 23-3	20S-21E, SEC 23:SESW, GRAND CO., UT
43-019-30760-00-00	FEDERAL 23-4	20S-21E, SEC 23:NWSE, GRAND CO., UT
43-019-31442-00-00	FEDERAL 23-5	20S-21E, SEC 23:NENE, GRAND CO., UT
43-019-31424-00-00	FEDERAL 23-6	20S-21E, SEC 23:SESW, GRAND CO., UT
43-019-31010-00-00	FEDERAL 24-1	20S-21E, SEC 24:SWSW, GRAND CO., UT
43-019-30530-00-00	FEDERAL 24-2	20S-21E, SEC 24:NWNW, GRAND CO., UT
43-019-30432-00-00	FEDERAL 24-3	20S-21E, SEC 24:SWSE, GRAND CO., UT
43-019-30900-00-00	FEDERAL 24-4	20S-21E, SEC 24:NWNE, GRAND CO., UT
43-019-31443-00-00	FEDERAL 24-5	20S-21E, SEC 24:SWNW, GRAND CO., UT
43-019-31423-00-00	FEDERAL 24-6	20S-21E, SEC 24:NWSE, GRAND CO., UT
43-019-30359-00-00	FEDERAL 25-1	20S-21E, SEC 25:SWNE, GRAND CO., UT
43-019-30587-00-00	FEDERAL 25-2	20S-21E, SEC 25:SWSW, GRAND CO., UT
43-019-30575-00-00	FEDERAL 25-3	20S-21E, SEC 25:SESE, GRAND CO., UT
43-019-30743-00-00	FEDERAL 25-4	20S-21E, SEC 25:NENW, GRAND CO., UT
43-019-31444-00-00	FEDERAL 25-5	20S-21E, SEC 25:SESW, GRAND CO., UT
43-019-30429-00-00	FEDERAL 30-1	20S-22E, SEC 30:SWNW, GRAND CO., UT
43-019-30308-00-00	FEDERAL 31-1A	20S-22E, SEC 31:NENW, GRAND CO., UT
43-019-15107-00-00	UNION GOVT II-1	20S-21E, SEC 24:NWSW, GRAND CO., UT

WELLS

API NUMBER	WELL NAME	LOCATION
43-019-15100-00-00	CPSKY PHLPS FEE 8-1	20S-24E, SEC 08:NWNW, GRAND CO., UT
43-019-30347-00-00	STATE 32-1	20S-22E, SEC 32:SEnw, GRAND CO., UT
43-019-30058-00-00	THUNDERBIRD 1	20S-24E, SEC 32:NWNW, GRAND CO., UT

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: ML 48144
2. NAME OF OPERATOR: Rockies Standard Oil Company, LLC		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Gunnison Valley Unit
3. ADDRESS OF OPERATOR: 1411 E 840 N CITY Orem STATE UT ZIP 84097		7. UNIT or CA AGREEMENT NAME: State 16-42
PHONE NUMBER: (801) 224-4771		8. WELL NAME and NUMBER: State 16-42
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2108' FNL, 0559' FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 16 22S 17E S		9. API NUMBER: 4301931605
COUNTY: Grand County		10. FIELD AND POOL, OR WILDCAT: Wildcat
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

CHANGE OF OPERATOR

PREVIOUS OPERATOR:

Rose Petroleum (Utah), LLC
383 Inverness Parkway, Ste 330
Englewood, CO 80112
(303) 814-0388

NEW OPERATOR:

Rockies Standard Oil Company, LLC
1411 East 840 North
Orem, UT 84097
(801) 224-4771

Be advised that Rockies Standard Oil Company, LLC is responsible under the terms and conditions of the related lease for the operations conducted upon the leased lands. Bond coverage is covered by Bond No. 1001696855.A

NAME (PLEASE PRINT) Kimball Hodges	TITLE Manager
SIGNATURE 	DATE 7/20/16

(This space for State use only)

APPROVED

SEP 14 2016

DIV. OIL, GAS & MINING

(See Instructions on Reverse Side)

3% Rachel Medina

RECEIVED

JUL 27 2016

DIV. OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: ML 49496
2. NAME OF OPERATOR: Rockies Standard Oil Company, LLC		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 1411 E 840 N CITY Orem STATE UT ZIP 84097		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0521' FNL, 0712' FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NENE 34 21S 23E S		8. WELL NAME and NUMBER: State 1-34
PHONE NUMBER: (801) 224-4771		9. API NUMBER: 4301950067
COUNTY: Grand County		10. FIELD AND POOL, OR WILDCAT: Greater Cisco
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

CHANGE OF OPERATOR


PREVIOUS OPERATOR:

Rose Petroleum (Utah), LLC
383 Inverness Parkway, Ste 330
Englewood, CO 80112
(303) 814-0388

NEW OPERATOR:

Rockies Standard Oil Company, LLC
1411 East 840 North
Orem, UT 84097
(801) 224-4771

Be advised that Rockies Standard Oil Company, LLC is responsible under the terms and conditions of the related lease for the operations conducted upon the leased lands. Bond coverage is covered by Bond No. 1001696855.A

NAME (PLEASE PRINT) Kimball Hodges	TITLE Manager
SIGNATURE 	DATE 7/20/16


(This space for State use only)

APPROVED

RECEIVED

JUL 27 2016

SEP 14 2016

DIV OIL GAS & MINING
BY: 

ASSIGNMENT AND BILL OF SALE OF BONDS

THIS ASSIGNMENT AND BILL OF SALE (this "Assignment") executed by **ROSE PETROLEUM (UTAH) LLC**, a Delaware limited liability company (hereinafter called "Assignor"), with an office at 383 Inverness Parkway, Suite 330, Englewood, CO 80112, to **ROCKIES STANDARD OIL COMPANY, LLC**, a Delaware limited liability company (hereinafter called "Assignee"), with an office at 1411 East 840 North, Orem, Utah, 84097, dated effective April 1, 2016 (said day being hereinafter called the "Effective Time").

All capitalized terms not defined herein shall have the meanings ascribed to them in that certain Purchase and Sale Agreement dated March 13, 2014, executed by and between Assignor and Assignee and/or that certain Side Agreement to Purchase and Sale Agreement between Assignor and Assignee dated effective April 1, 2016.

ARTICLE I **Assignment of Bonds**

Assignor, for Ten and No/100 Dollars (\$10.00) and other good and valuable consideration in hand paid by Assignee, the receipt and sufficiency of which consideration are hereby acknowledged and confessed, by these presents does hereby ASSIGN, TRANSFER, SET OVER, RELEASE and DELIVER unto Assignee ALL (100.0%) of Assignor's right, title, and interest in and to the following described bonds and/or bonding instruments:

- (a) State of Utah School and Institutional Trust Lands Administration Bond # 5605 in the amount of \$15,000.00;
- (b) Utah Division of Oil Gas and Mining statewide blanket bond #1001696855 in the amount of \$120,000.00; and
- (c) United States Department of the Interior Bureau of Land Management bond #UTB000645 in the amount of \$280,000.00;

as well as, without limitation, any and all proceeds and/or refunds of the same. All of the bonds and/or bonding instruments (a) through (c) above are hereinafter collectively called the "Bonds".

TO HAVE AND TO HOLD the Bonds unto Assignee, its respective successors and assigns forever, subject, however, to the matters set forth herein. The Bonds are assigned by Assignor and accepted by Assignee expressly subject to the terms and conditions of that Side Agreement to Purchase and Sale Agreement dated effective April 1, 2016 executed by and between Assignor and Assignee.

ARTICLE III
Miscellaneous

Section 3.1 Further Assurances. Assignor covenants and agrees to execute and deliver to Assignee all such other and additional instruments and other documents and will do all such other acts and things as may be necessary more fully to assure to Assignee or its successors or assigns, all of the respective rights and interests herein and hereby assigned or intended to be assigned, including without limitation, executing separate assignments of individual bonds or bonding instruments, which are included in the Bonds and which are necessary to facilitate the recognition of Assignee's ownership of the Bonds.

Section 3.2 Successors and Assigns. All of the provisions hereof shall inure to the benefit of and be binding upon the respective successors and assigns of Assignor and Assignee. All references herein to either Assignor or Assignee shall include their respective successors and assigns.

Section 3.3 Counterparts. This Assignment is being executed in several original counterparts, no fewer than four (4), all of which are identical, and each such counterpart hereof shall be deemed to be an original instrument, but all such counterparts shall constitute but one and the same assignment.

IN WITNESS WHEREOF, the parties hereto have caused this Assignment to be executed on the dates of their respective acknowledgments set forth below, to be effective, however, as of the Effective Time.

Assignor

ROSE Petroleum (UTAH) LLC

By: _____

Ty Watson, its President

Assignee

ROCKIES STANDARD OIL COMPANY, LLC

By: _____

Name: Kimball Hodges

Title: Manager of Petro Fuego, LLC; Petro Fuego, LLC as Manager of Rockies Standard Oil Company, LLC.



Rachel Medina <rachelmedina@utah.gov>

Bonding

1 message

Rachel Medina <rachelmedina@utah.gov>
To: Kimball Hodges <khodges@rockiesstandard.com>

Wed, Aug 24, 2016 at 3:37 PM

Hi Kimball,

We will be able to move forward with moving the statewide blanket bond from Rose to individual bonds with Rockies. Below is the break down of what Dustin is going to require for each well.

CPSKY PHLPS FEE 8-1 \$15,000

Thunderbird 1 \$1,500

State 32-1 \$15,000.00

State 16-42 \$30,000

State 1-34 \$30,000.00-Once you have final inspection on this well you can submit a letter requesting a bond release on the funds.

Bring a total of \$91,500.00. What I need from Rockies now is a Form 4B.2 on each well. The bond number is going to be the check number (1001696885), then if you could add an alpha character to the end (e.g 1001696885a, 1001696885b) this help to keep the records clear in our system.

Rockies currently has two cash bonds with the Division, but as a precaution if you could also submit a current IRS W-9 form for the bank that holds our bonds that would be greatly appreciated.

Also, to have a clear account, if you would submit a letter with the above forms stating that you're using the blanket bond as individual bond. Follow that up with a request to release the remaining \$28,500 that per the submitted agreement needs to be sent to Rockies Standard and the address we should mail the check to.

To answer Brad's question the two years audited financials would need to be reviewed by an independent certified public accountant.

If you have any question please let me know. In regards to this matter...because I am handling multiple task that take me away from my desk recently, if you try to call or email me and I'm not available you may call my cell phone [REDACTED]

Thanks!

—
Rachel Medina
Division of Oil, Gas & Mining
Bonding Technician
801-538-5260



1411 East 840 North, Orem, Utah 84097

RECEIVED
AUG 31 2016
DIV. OF OIL, GAS & MINING

August 30, 2016

To: Utah Department of Oil, Gas, and Mining – Department of Natural Resources
ATTN: Rachel Medina
1594 W North Temple, Suite 1210
Salt Lake City, UT 84116

RE: Moving Rose Blanket Bond to Rockies Individual Bonds 1001696885a, 1001696885b, 1001696885c, 1001696885d, and 1001696885e and Releasing Balance to Rockies

Enclosed is a completed Form 4B.2 for each of five wells recently acquired from Rose Petroleum (Utah), LLC (“Rose”) for which Rockies Standard Oil Company, LLC (“RSOC”) will assume operations. Rose assigned its blanket DOGM bond (1001696855) to Rockies, but Rockies requests that Rose’s statewide bond instead be used to bond these wells on an individual basis rather than blanket.

Rockies further requests that the balance of the Rose blanket bond (such balance in the amount of \$28,500.00) be released to Rockies at:

Rockies Standard Oil Company, LLC
Attn: Operations
1411 East 840 North
Orem, UT 84097

Your help and prompt attention to this matter is greatly appreciated.

Sincerely,

Kimball Hodges
Manager of PetroFuego, LLC
Manager for Rockies Standard Oil Company, LLC